

AL-II-B-027

HAUGH FRAME HOUSE
Main Street
Oldtown, Maryland
Latter 19th Century

The Haugh House was constructed in the latter half of the 19th Century with some amount of Italianate influence. It's a typical rural dwelling, being two stories tall and three bays wide on a rectangular block. The exterior wall construction was originally frame, but has since been replaced with insul material of random ashlar stone pattern. That particular insul pattern is quite unique in Allegany County. The roof is a simple gabled one with a tin covering, and windows are the double hung wooden sash type with two over two lights and plain trim.

MARYLAND HISTORICAL TRUST

0101645504
AL-II-B-027

CHECK ONE
INVENTORY FORM FOR STATE HISTORIC SITES SURVEY

1 NAME

HISTORIC
Haugh Frame House
AND/OR COMMON

2 LOCATION

STREET & NUMBER
Main Street
CITY, TOWN
Oldtown
STATE
Maryland
VICINITY OF
Sixth
CONGRESSIONAL DISTRICT
COUNTY
Allegany

3 CLASSIFICATION

CATEGORY	OWNERSHIP	STATUS	Not in Use PRESENT USE	
			<input type="checkbox"/> DISTRICT	<input type="checkbox"/> PUBLIC
<input checked="" type="checkbox"/> BUILDING(S)	<input checked="" type="checkbox"/> PRIVATE	<input checked="" type="checkbox"/> UNOCCUPIED	<input type="checkbox"/> COMMERCIAL	<input type="checkbox"/> PARK
<input type="checkbox"/> STRUCTURE	<input type="checkbox"/> BOTH	<input type="checkbox"/> WORK IN PROGRESS	<input type="checkbox"/> EDUCATIONAL	<input type="checkbox"/> PRIVATE RESIDENCE
<input type="checkbox"/> SITE	PUBLIC ACQUISITION	ACCESSIBLE	<input type="checkbox"/> ENTERTAINMENT	<input type="checkbox"/> RELIGIOUS
<input type="checkbox"/> OBJECT	<input type="checkbox"/> IN PROCESS	<input type="checkbox"/> YES: RESTRICTED	<input type="checkbox"/> GOVERNMENT	<input type="checkbox"/> SCIENTIFIC
	<input type="checkbox"/> BEING CONSIDERED	<input type="checkbox"/> YES: UNRESTRICTED	<input type="checkbox"/> INDUSTRIAL	<input type="checkbox"/> TRANSPORTATION
		<input checked="" type="checkbox"/> NO	<input type="checkbox"/> MILITARY	<input type="checkbox"/> OTHER:

4 OWNER OF PROPERTY

NAME
John W. Haugh + Donald Haugh
Telephone #: 395-5438
STREET & NUMBER
Oldtown Rd. Box 62
CITY, TOWN
Oldtown
STATE, zip code
MD. 21555
VICINITY OF

5 LOCATION OF LEGAL DESCRIPTION

COURTHOUSE, REGISTRY OF DEEDS, ETC.
Allegany County Courthouse
Liber #: 335
Folio #: 250
STREET & NUMBER
30 Washington Street
CITY, TOWN
Cumberland,
STATE
Maryland

6 REPRESENTATION IN EXISTING SURVEYS

TITLE
DATE
DEPOSITORY FOR SURVEY RECORDS
CITY, TOWN
STATE
FEDERAL STATE COUNTY LOCAL

7 DESCRIPTION

CONDITION		CHECK ONE	CHECK ONE
<input type="checkbox"/> EXCELLENT	<input checked="" type="checkbox"/> DETERIORATED	<input type="checkbox"/> UNALTERED	<input checked="" type="checkbox"/> ORIGINAL SITE
<input type="checkbox"/> GOOD	<input type="checkbox"/> RUINS	<input checked="" type="checkbox"/> ALTERED	<input type="checkbox"/> MOVED DATE _____
<input type="checkbox"/> FAIR	<input type="checkbox"/> UNEXPOSED		

DESCRIBE THE PRESENT AND ORIGINAL (IF KNOWN) PHYSICAL APPEARANCE

The Haugh Frame House is located on Main Street in Oldtown, Allegany County.

The Haugh House is a two story, three bay wide, rectangular structure which was originally frame and has been covered with insul brick. The entire structure is supported by a low stone foundation with a plain water table. The roof is gabled and is covered with tin. Windows in the structure are two over two lights in a double hung wooden sash with plain trim. There are two entrances to the building located on the north and south sides. Both are plain verticle, paneled doors, and both are covered by shed-roofed porches. The rear entrance is covered by a two bay end porch while the main entrance is covered by a three bay end porch. Both are supported by Roman Doric columns. A single replaced cement block chimney is located on the outside end of the building.

The Haugh House, although it retains much of its original fabric and appearance, is unoccupied and as a result, very badly deteriorated.

CONTINUE ON SEPARATE SHEET IF NECESSARY

8 SIGNIFICANCE

PERIOD

AREAS OF SIGNIFICANCE -- CHECK AND JUSTIFY BELOW

PREHISTORIC	<input type="checkbox"/> ARCHEOLOGY-PREHISTORIC	<input type="checkbox"/> COMMUNITY PLANNING	<input type="checkbox"/> LANDSCAPE ARCHITECTURE	<input type="checkbox"/> RELIGION
1400-1499	<input type="checkbox"/> ARCHEOLOGY-HISTORIC	<input type="checkbox"/> CONSERVATION	<input type="checkbox"/> LAW	<input type="checkbox"/> SCIENCE
1500-1599	<input type="checkbox"/> AGRICULTURE	<input type="checkbox"/> ECONOMICS	<input type="checkbox"/> LITERATURE	<input type="checkbox"/> SCULPTURE
1600-1699	<input checked="" type="checkbox"/> ARCHITECTURE	<input type="checkbox"/> EDUCATION	<input type="checkbox"/> MILITARY	<input type="checkbox"/> SOCIAL/HUMANITARIAN
1700-1799	<input type="checkbox"/> ART	<input type="checkbox"/> ENGINEERING	<input type="checkbox"/> MUSIC	<input type="checkbox"/> THEATER
<input checked="" type="checkbox"/> 1800-1899	<input type="checkbox"/> COMMERCE	<input type="checkbox"/> EXPLORATION/SETTLEMENT	<input type="checkbox"/> PHILOSOPHY	<input type="checkbox"/> TRANSPORTATION
1900-	<input type="checkbox"/> COMMUNICATIONS	<input type="checkbox"/> INDUSTRY	<input type="checkbox"/> POLITICS/GOVERNMENT	<input type="checkbox"/> OTHER (SPECIFY)
		<input type="checkbox"/> INVENTION		

SPECIFIC DATES

BUILDER/ARCHITECT

STATEMENT OF SIGNIFICANCE

The Haugh House, located on Main Street in Oldtown, is a typical example of rural architecture in Allegany County. In all probability it was constructed in the latter half of the 19th Century. Like numerous other houses in the county, it is two stories high and three bays wide with a gabled roof. The predominant architectural style in Allegany County during the second half of the 19th Century was the Italianate. The vernacular tradition would seem to be a more tailored or conservative version of this style.

CONTINUE ON SEPARATE SHEET IF NECESSARY

9 MAJOR BIBLIOGRAPHICAL REFERENCES

Allegany County Land Records, Cumberland, Maryland

PERIOD
 PREHISTORIC
 1400-1499
 1500-1599
 1600-1699
 1700-1799
 1800-1899
 1900-
 1900-1899
 1800-1899
 1700-1799
 1600-1699
 1500-1599
 1400-1499
 PREHISTORIC

ARCHAEOLOGY-PREHISTORIC
 ARCHAEOLOGY-HISTORIC
 AGRICULTURE
 EDUCATION
 COMMUNITY PLANNING
 CONSERVATION
 LANDSCAPE ARCHITECTURE
 LAW
 LITERATURE
 SCULPTURE
 SCIENCE
 RELIGION

STATEMENT OF SIGNIFICANCE

CONTINUE ON SEPARATE SHEET IF NECESSARY

10 GEOGRAPHICAL DATA

ACREAGE OF NOMINATED PROPERTY 200' x 140'

BUILDER/ARCHITECT

SPECIFIC DATES

STATEMENT OF SIGNIFICANCE

VERBAL BOUNDARY DESCRIPTION

LIST ALL STATES AND COUNTIES FOR PROPERTIES OVERLAPPING STATE OR COUNTY BOUNDARIES

STATE	COUNTY
STATE	COUNTY

11 FORM PREPARED BY

NAME / TITLE John Nelson, Joan Baldwin, & Steve Beale

ORGANIZATION Allegany County Historic Sites Survey DATE 9/2/76

STREET & NUMBER 507 National Highway TELEPHONE 777-8991

CITY OR TOWN LaVale, Maryland STATE Maryland

The Maryland Historic Sites Inventory was officially created by an Act of the Maryland Legislature, to be found in the Annotated Code of Maryland, Article 41, Section 181 KA, 1974 Supplement.

The Survey and Inventory are being prepared for information and record purposes only and do not constitute any infringement of individual property rights.

RETURN TO: Maryland Historical Trust
 The Shaw House, 21 State Circle
 Annapolis, Maryland 21401
 (301) 267-1438

CONTINUE ON SEPARATE SHEET IF NECESSARY

INVENTORY NO.

AL-11-B-027

Slides Next Poor

335/250

260' x 140'

DATE:

8/25/76

REMODELING: Drastic, moderate, minor

NAME OF PROPERTY:

Haugh Farms

LOCATION OF PROPERTY:

Main Street Oldtown

DIRECTION DWELLING FACES:

North

395-5438

NAME OF OWNER:

John W.

Haugh

ADDRESS:

Oldtown Rd Box 62

Oldtown M.D. 21555

STORIES: 1() 2(✓) 3() 4() 5() 6() BAYS: 1() 2() 3(✓) 4() 5() 6() 7() ()

WINGS, ADDITIONS:

Dwelling Shape: (square, cross, rectangular)

WALL CONSTRUCTION:

- FRAME: Bevel, clapboard, weatherboard, wood shingles, board & batten (type?)
- BRICK: Bond type- common, English, Flemish. Sketch variants.
- STONE: Bond type- rubble, ashlar (random or regular), quoins-plain, rusticated
- LOG
- Other: Coverings Inset Brick

WALL FEATURES: BELT COURSE, PILASTERS, OTHERS

Plain

FOUNDATIONS: HIGH, LOW, BRICK, STONE

WATER TABLE: NONE, PLAIN, BEVELED, MOULDED BRICK

WINDOWS, TRIM, SHUTTERS: 1/1() 2/2(✓) 6/6() 9/6() 9/9() other()
pegged () nailed() wide () narrow () mitred () pediment ()

ENTRANCE, DOORS: LOCATION:

HARDWARE: original(✓) replaced()

FAN LIGHT, TRANSOM, SIDE LIGHTS, PLAIN

Paneled, Verticle, Horizontal Boards

CORNICE, BARGE, EAVES: (crown, fascia, soffit, bed)

original() replaced() Rafter Ends, Modillions, Dentils, Frieze,

Architrave

ROOF: GABLE FRONT, GABLE FLANK, HIP, SHED, MANSARD, GAMBREL, FLAT, DORMERS #

MATERIAL: wood shingles, slate, tin, asphalt original(✓) replaced()

PORCHES: SHAPE OF ROOF - shed(✓) hip() gable() 2 bay rear 3 bay front
Cement block

CHIMNEYS: NUMBER 1 BRICK() STONE() CORBELED() original() replaced(✓)

LOCATION: Flush end() Inside end() Outside end(✓) Central() Interior ()

ARCHES: Door and window: Keystone, Flat, Segmental, Semicircular

COMMENTS:

Use - ~~Retained~~ Vacant - formerly residence

Significance - Arch

Date Constructed - mid 19th c.

Condition - very poor

INVENTORY NO. AL-II - B - 027

473-310

DATE: 9/21/76

2 Acres

REMODELING: Drastic, moderate, minor

NAME OF PROPERTY: Taschenberger Frame House - 2 Acres

LOCATION OF PROPERTY: South of ^{Rt.} 51, .7 miles east of Spring Gap

DIRECTION DWELLING FACES: North

NAME OF OWNER: Thomas Kurek 395-5610

ADDRESS: Rt. 4, Box 277 Cumberland

Cumberland, M.D. 21502

STORIES: 1() 2() 3() 4() 5() 6() BAYS: 1() 2() 3() 4() 5() 6() 7() ()

WINGS, ADDITIONS:

Dwelling Shape: (square) cross, rectangular)

WALL CONSTRUCTION:

- (FRAME: Bevel, clapboard, weatherboard, wood shingles, Novelty Siding board & batten (type?)
- () BRICK: Bond type- common, English, Flemish. Sketch variants.
- () STONE: Bond type- rubble, ashlar (random or regular), quoins-plain, rusticated
- () LOG
- () Other: Coverings

WALL FEATURES: BELT COURSE, PILASTERS, OTHERS PLAIN

FOUNDATIONS: HIGH, LOW, BRICK, STONE Cement wall

WATER TABLE: NONE, PLAIN, BEVELED, MOULDED BRICK

WINDOWS, TRIM, SHUTTERS: 1/1() 2/2() 6/6() 9/6() 9/9() other()
CORNICE Architrave trim pegged () nailed () wide () narrow () mitred () pediment ()

ENTRANCE, DOORS: LOCATION: Front (North) + Side (East) → was originally of etched glass now a wall.
HARDWARE: original() replaced()
FAN LIGHT, TRANSOM, SIDE LIGHTS, PLAIN
Paneled, Verticle, Horizontal Boards Transom Light

CORNICE, BARGE, EAVES: (crown, fascia, soffit, bed)
original() replaced() Rafter Ends, Modillions, Dentils, Frieze,

ROOF: GABLE FRONT, GABLE FLANK, HIP, SHED, MANSARD, GAMBREL, FLAT, DORMERS # 3 Architrave gabled
MATERIAL: wood shingles, slate, tin, asphalt original() replaced() pedimented

PORCHES: SHAPE OF ROOF - shed() hip() gable() WRAP AROUND PORCH

CHIMNEYS: NUMBER 1 BRICK() STONE() CORBELLED() original() replaced()
LOCATION: Flush end() Inside end() Outside end() Central() Interior()

ARCHES: Door and window: Keystone, Flat Segmental, Semicircular

COMMENTS:

- Use - Residence
- Significance - Architecture
- Date Constructed - 1909-1911
- Condition - Very Good

AI-II-B-025

AI-II-B-026

AI-II-B-021

AI-II-B-027 AI-II-B-020

AI-II-B-019 AI-II-B-018 AI-II-B-008

AI-II-B-012 AI-II-B-009 AI-II-B-002

AI-II-B-011 AI-II-B-007 AI-II-B-024

AI-II-B-013 AI-II-B-015 AI-II-B-014

AI-II-B-017 AI-II-B-016

AI-II-B-010

AI-II-B-027

Haugh Frame House

Main St. Oldtown

USGS Oldtown Quad

1:24,000

1950

5263 11 SW (PATTERSON CREEK)

5263 14 MI. SPRING GAP 1.4 MI.

32°30'

4370

4378

5000 FEET (MD.)

N

Green Spring

Green Spring

South Branch
French Station

Trading

Stump

R13

CHESAPEAKE

OHIO

MARYLAND

WEST VIRGINIA

ARNOLD

SPICKETT

ROAD

POTOMAC

3 TRACKS

Water

Rail

BALTIMORE

AND



Hugh Fram's HOSS

A1-11-B-027

main St.

Oldtown

John Nelson

8/25/76

South