SURVEY CODE: AL-V-A-215 DATE: 9/16

REMODELING: Drastic, moderate, minor

NAME OF PROPERTY: St. George's Episcopal Church

LOCATION OF PROPERTY: 12811 Saint George's Lane

DIRECTION DWELLING FACES: W

windows arches 2 row pointed header bricks 3 rows on main windows

NAME OF OWNER:

ADDRESS: Map 1M Grid 17 P.15

mouldings

STORIES: 1(½) 2( ) 3( ) 4( ) 5( ) 6( ) BAYS: 1(x) 2( ) 3( ) 4( ) 5( ) 6( ) 7( ) ( ).

WINGS, ADDITIONS: parish hall - breezeway on S & SE; stone tower on W, crenellated; crenelated frame tower in center of cruciform w/ asbestos shingle original

DWELLING SHAPE: (square, cross, rectangular) cruciform 6 bays deep.

WALL CONSTRUCTION: shades of brown firebrick w/ "canvas" texture slozed

( ) FRAME: Bevel, clapboard, weatherboard, wood shingles, board & batten (type?)
(x) BRICK: Bond type - common, English, Flemish. Sketch variants. random mostly 6x1
( ) STONE: Bond type - rubble, ashlar (random or regular), quoins-plain, rusticated
( ) LOG
( ) OTHER: Coverings

WALL FEATURES: Belt Course, Pilasters, Others buttresses w/ tooled stone caps

FOUNDATIONS: High, Low, Brick, Stone random rock-faced ashlar stone lintels over windows (basement)

WATER TABLE: None, Plain, Beveled, Moulded Brick

WINDOWS, TRIM, SHUTTERS: (3 lights) gothic arched sashes fixed arched lights w/ tracery detail. Rockfaced stone lug sills
1/1( ) 2/2( ) 6/6( ) 9/6( ) 9/9( ) other( )
pegged( ) nailed( ) wide( ) narrow( ) mitred( ) pediment( )

ENTRANCE, DOORS: LOCATION: on S double doors of 8 panels ea. deco. iron strap hinges painted boarded
HARDWARE: original(x) replaced( ) "transom" glass doors on the W.
FAN LIGHT, TRANSOM, SIDE LIGHTS, PLAIN GABLE ENDS
Paneled, Vertical, Horizontal Boards Box cornice, soffit, fascia (deco) frieze

CORNICE, BARGE, EAVES: (crown, fascia, soffit, bed) Box cornice decorated flanks cornice, frieze, simple brackets fascia.
original(x) replaced( ) rafter ends, modillions, dentils, frieze, architrave

ROOF: Gable front, Gable flank, Hip, Shed, Mansard, Gambrel, Flat, Dormers # asbestos shingles snowbirds
MATERIAL: wood shingles, slate, tin, asphalt; original( ) replaced( )

PORCHES: SHAPE OF ROOF - shed( ) hip( ) gable(✓) Vestibule orig entrance on S original straight stoop on S

CHIMNEYS: Number: 1 Brick(x) Stone( ) Corbeled(x) original(x) replaced( ) hooded brick
Location: Flush end( ) Inside end( ) Outside end( ) Central( ) Interior( )

ARCHES: Door & Windows: Keystone, Flat, Segmental, Semicircular

COMMENTS:

USE: architect?
SIGNIFICANCE: religious
DATE CONSTRUCTED: 1903 ch. - Parish Hall 1923 orig. separate 1952 bell tower
CONDITION: Excellent

AL-V-A-215

PARISH HALL | 1 ½ stories | FIX

Faces w rectangular

gable Flank glazed brick common bond 5x1

high stone foundation of random rock face ashlar.

beveled cement watertable

ogee pointed windows w/ same 3 row header brick arches cement

double replaced doors center w facade

2 tall stack corbeled brick

Eaves gable end eaves - cornice, fascia, frieze, false rafter ends

corners have brick gables

cross gable roof - slate shingles snowbirds



AL-V-A-215
St. George's Episcopal Church
12811 Saint George's Lane NW, Mt. Savage
Sanborn Map 1926, Sheet 4



AL-V-A-215
St. George's Episcopal Church
12811 Saint George's Lane
Frostburg Quadrangle



1994-95 Aerial Photo

Tax Map 1M, p. 15