

AL-V-B-104

~~AL-IV-A-104~~

Holt Log House  
Corriganville, Maryland  
Ca. 1835

This log house can only be documented to 1921 but in all probability it was built by "squatters" on coal company land who left no records. A descendent of the Holt family that lived there prior to 1921 informed the current owner that it was built around 1835. This would make it the oldest structure in the Corriganville area. A massive outside end field-stone chimney visible in old photographs has been removed.

INVENTORY FORM FOR STATE HISTORIC SITES SURVEY

**1 NAME**

HISTORIC

AND/OR COMMON

Holt Log House

**2 LOCATION**

STREET & NUMBER

CITY, TOWN

Corriganville

\_\_\_ VICINITY OF

CONGRESSIONAL DISTRICT

Sixth

STATE

Maryland

COUNTY

Allegany

**3 CLASSIFICATION**

CATEGORY	OWNERSHIP	STATUS	PRESENT USE
<input type="checkbox"/> DISTRICT	<input type="checkbox"/> PUBLIC	<input checked="" type="checkbox"/> OCCUPIED	<input type="checkbox"/> AGRICULTURE
<input checked="" type="checkbox"/> BUILDING(S)	<input checked="" type="checkbox"/> PRIVATE	<input type="checkbox"/> UNOCCUPIED	<input type="checkbox"/> MUSEUM
<input type="checkbox"/> STRUCTURE	<input type="checkbox"/> BOTH	<input type="checkbox"/> WORK IN PROGRESS	<input type="checkbox"/> COMMERCIAL
<input type="checkbox"/> SITE	<b>PUBLIC ACQUISITION</b>	<input type="checkbox"/> ACCESSIBLE	<input type="checkbox"/> EDUCATIONAL
<input type="checkbox"/> OBJECT	<input type="checkbox"/> IN PROCESS	<input checked="" type="checkbox"/> YES: RESTRICTED	<input type="checkbox"/> ENTERTAINMENT
	<input type="checkbox"/> BEING CONSIDERED	<input type="checkbox"/> YES: UNRESTRICTED	<input type="checkbox"/> GOVERNMENT
		<input type="checkbox"/> NO	<input type="checkbox"/> INDUSTRIAL
			<input type="checkbox"/> MILITARY
			<input type="checkbox"/> PARK
			<input checked="" type="checkbox"/> PRIVATE RESIDENCE
			<input type="checkbox"/> RELIGIOUS
			<input type="checkbox"/> SCIENTIFIC
			<input type="checkbox"/> TRANSPORTATION
			<input type="checkbox"/> OTHER

**4 OWNER OF PROPERTY**

NAME

Harold O. Raygor

Telephone #: 724-5519

STREET & NUMBER

P.O. Box 141

CITY, TOWN

Corriganville

\_\_\_ VICINITY OF

STATE, zip code

Maryland, 21524

**5 LOCATION OF LEGAL DESCRIPTION**

COURTHOUSE,  
REGISTRY OF DEEDS, ETC.

Allegany County Courthouse

STREET & NUMBER

30 Washington Street

CITY, TOWN

Cumberland

STATE

Maryland

Liber #: 221

Folio #: 208

**6 REPRESENTATION IN EXISTING SURVEYS**

TITLE

DATE

\_\_\_ FEDERAL \_\_\_ STATE \_\_\_ COUNTY \_\_\_ LOCAL

DEPOSITORY FOR  
SURVEY RECORDS

CITY, TOWN

STATE

7 DESCRIPTION

CONDITION		CHECK ONE	CHECK ONE
<input type="checkbox"/> EXCELLENT	<input type="checkbox"/> DETERIORATED	<input type="checkbox"/> UNALTERED	<input checked="" type="checkbox"/> ORIGINAL SITE
<input type="checkbox"/> GOOD	<input type="checkbox"/> RUINS	<input checked="" type="checkbox"/> ALTERED	<input type="checkbox"/> MOVED DATE _____
<input checked="" type="checkbox"/> FAIR	<input type="checkbox"/> UNEXPOSED		

DESCRIBE THE PRESENT AND ORIGINAL (IF KNOWN) PHYSICAL APPEARANCE

The Holt Log House is located at Corriganville, Maryland.

The building now basically consists of a two and one half story, three bay wide, rectangular structure. Wall construction was originally log with mud chinking. Walls were 10" thick. Over this now is frame construction with novelty siding. Wall features include corner boards. Windows feature the use of both pegs and nails in their construction. The building is supported by a high, stone foundation of uncoursed rubble bond. Water table is plain. The roof is gable flank and covered with asphalt shingles. Eaves of the roof exhibit a boxed cornice with return ends, wide soffit, and bed moulding. Now, there is one brick chimney with corbeled capping and flashing at its base and centrally located. The original stone chimney located outside end on the northeast facade has been removed with only some of its base remaining.

On the southeast facade is an open front porch with shed roof, wooden posts, slat boards ceiling and floor, plain wooden railing and lattice work around the base. The main entrance is located center of the first floor with a three paneled, horizontal boards door with two lights. First floor has two double hung, three-over-one light windows with wooden lugsills and plain architrave trim. Second floor is same as first except windows are smaller in size. Second and a half floor has two triangular dormers. Each has a casement window of four lights that swings in with wooden lugsills and plain architrave trim.

One basement window is closed up on the northeast facade. Second floor features two recessed casement windows of six lights each, with wooden lugsills, plain architrave trim that swings in. Second and a half floor has two long eyebrow windows of one light each, with wooden lugsills, plain architrave trim that swings in.

First floor, northwest facade has two recessed casement windows of six lights each, with wooden lugsills and plain architrave trim that swings in. Second floor has two long eyebrow windows (within same frame) of one light each, with wooden lugsills and plain architrave trim.

On the southwest facade, one basement entrance in well, with a recessed door of nine vertical boards and wooden lintel. One basement window is blocked up. First floor has two double hung, three-over-one light, recessed windows with wooden lugsills and plain architrave trim. Second floor has two double hung, three-over-six light, recessed windows with wooden lugsills and plain architrave trim. Second and a half floor has one casement window of six lights with wooden lugsill and plain architrave trim that swings in.

A one story addition (originally board and batten) of novelty siding and insul brick construction with shed roof covered with tin is located on the northeast facade. It has a combination brick and stone foundation. Walls feature corner boards.

CONTINUE ON SEPARATE SHEET IF NECESSARY

PERIOD	AREAS OF SIGNIFICANCE -- CHECK AND JUSTIFY BELOW			
<input type="checkbox"/> PREHISTORIC	<input type="checkbox"/> ARCHEOLOGY-PREHISTORIC	<input type="checkbox"/> COMMUNITY PLANNING	<input type="checkbox"/> LANDSCAPE ARCHITECTURE	<input type="checkbox"/> RELIGION
<input type="checkbox"/> 1400-1499	<input type="checkbox"/> ARCHEOLOGY-HISTORIC	<input type="checkbox"/> CONSERVATION	<input type="checkbox"/> LAW	<input type="checkbox"/> SCIENCE
<input type="checkbox"/> 1500-1599	<input type="checkbox"/> AGRICULTURE	<input type="checkbox"/> ECONOMICS	<input type="checkbox"/> LITERATURE	<input type="checkbox"/> SCULPTURE
<input type="checkbox"/> 1600-1699	<input checked="" type="checkbox"/> ARCHITECTURE	<input type="checkbox"/> EDUCATION	<input type="checkbox"/> MILITARY	<input type="checkbox"/> SOCIAL/HUMANITARIAN
<input type="checkbox"/> 1700-1799	<input type="checkbox"/> ART	<input type="checkbox"/> ENGINEERING	<input type="checkbox"/> MUSIC	<input type="checkbox"/> THEATER
<input checked="" type="checkbox"/> 1800-1899	<input type="checkbox"/> COMMERCE	<input type="checkbox"/> EXPLORATION/SETTLEMENT	<input type="checkbox"/> PHILOSOPHY	<input type="checkbox"/> TRANSPORTATION
<input type="checkbox"/> 1900-	<input type="checkbox"/> COMMUNICATIONS	<input type="checkbox"/> INDUSTRY	<input type="checkbox"/> POLITICS/GOVERNMENT	<input checked="" type="checkbox"/> OTHER (SPECIFY) History
		<input type="checkbox"/> INVENTION		

SPECIFIC DATES

BUILDER/ARCHITECT

## STATEMENT OF SIGNIFICANCE

Ownership of this log house can be traced to 1921 when Frederick Brant bought it from the Union Mining Company. <sup>1</sup> According to the current owner, this company owned all the land between Jennings Run, directly west of the property, and Cumberland. <sup>2</sup> In all probability this house was constructed in the last century by "squatters" on the Union Mining Company land who left no record of the date of construction. Oral tradition of the area dictates that the Holt family, among the first settlers of the Will's Town, now the Corriganville area, once lived in this house. The current owner was told by a member of this family that the house was constructed around 1835, which would make it the oldest existing structure in that area. <sup>3</sup>

During the nineteenth century log construction was popular, being the cheapest, most available, and most functional material in this area of abundant forests. One prominent feature of this house, now removed but observable in an old photograph, was a massive outside end fieldstone chimney.

This building, although considerably altered in appearance, stands as a reminder of the cultural heritage of rural areas of Allegany County.

1. Allegany County Land Records Liber 139, Folio 523.
2. Interview with H.O. Raygor, Corriganville, Maryland, 19 August 77.
3. Ibid.

CONTINUE ON SEPARATE SHEET IF NECESSARY

**9 MAJOR BIBLIOGRAPHICAL REFERENCES**

Allegany County Land Records Cumberland, Maryland 21502

Interview with H.O. Raygor, Corriganville, Maryland August 19, 1977

CONTINUE ON SEPARATE SHEET IF NECESSARY

**10 GEOGRAPHICAL DATA**ACREAGE OF NOMINATED PROPERTY 113 x 119**VERBAL BOUNDARY DESCRIPTION****LIST ALL STATES AND COUNTIES FOR PROPERTIES OVERLAPPING STATE OR COUNTY BOUNDARIES**

STATE COUNTY

STATE COUNTY

**11 FORM PREPARED BY**

NAME / TITLE

William Pratt and Dave Dorsey

ORGANIZATION

Allegany County Historic Sites Survey

DATE

8/19/77

STREET &amp; NUMBER

507 National Highway

TELEPHONE

777-5967

CITY OR TOWN

La Vale

STATE

Maryland

The Maryland Historic Sites Inventory was officially created by an Act of the Maryland Legislature, to be found in the Annotated Code of Maryland, Article 41, Section 181 KA, 1974 Supplement.

The Survey and Inventory are being prepared for information and record purposes only and do not constitute any infringement of individual property rights.

RETURN TO: Maryland Historical Trust  
The Shaw House, 21 State Circle  
Annapolis, Maryland 21401  
(301) 267-1438

WINDOWS

ORIGINAL

Northeast Facade -

Basement - One window closed up.

Second Floor - Two casement, six lights, recessed, swings in, wooden lugsills, plain architrave trim.

Second and a Half Floor - Two long eyebrow, one light each, open in, wooden lugsills, plain architrave trim.

Northwest Facade -

First Floor - Two casement, six lights each, swings in, recessed, wooden lugsills, plain architrave trim.

Second Floor - Two long eyebrow, one light each, within same frame, wooden lugsills, plain architrave trim.

Southeast Facade -

First Floor - Two double hung, 3/1 light, two wooden sash, wooden lugsills, plain architrave trim.

Second Floor - Two double hung, 3/1 light, two wooden sash, wooden lugsills, plain architrave trim.

Second and a Half Floor - In dormers two casement, four lights, swings in, wooden lugsills, plain architrave trim.

Southwest Facade -

Basement - One blocked up window, plain architrave trim. One entrance in well, nine vertical board door, wooden lintel, recessed.

First Floor - Two double hung, 3/1 light, two wooden sash, recessed, wooden lugsills, plain architrave trim.

Second Floor - Two double hung, 3/6 light, two wooden sash, recessed, wooden lugsills, plain architrave trim.

Second and a Half Floor - One casement, six lights, swings in, wooden lugsill, plain architrave trim.

ADDITION

Northeast Facade -

First Floor - One double hung, 6/6 lights, two wooden sash, wooden lugsill, asphalt shingle flashing, plain architrave trim.

First and a Half Floor - One casement, six lights, swings in, wooden lugsill, plain architrave trim.

Northwest Facade -

First Floor - One replaced aluminum slide window, two lights, wooden lugsill, plain architrave trim.

TITLE SEARCH

Holt Log House  
AL-V-B-104

Allegany County Deed: Liber 221, Folio 208  
Grantee: Harold O. Raygor et ux  
Grantor: Conrad C. Fridley et ux  
Notes : 31 acres

Date: July 2, 1948  
Consideration:

Allegany County Deed: Liber 201, Folio 258  
Grantee: Conrad C. Fridley et ux  
Grantor: Horace P. Witworth (Attorney for Allegany County Welfare Board)  
Notes : 31 acres

Date: August 16, 1944  
Consideration: \$685.00

Allegany County Deed: Liber 202, Folio 445  
Grantee: Horace P. Witworth  
Grantor: Lavra Brant (wife)  
Notes : Frederick Brant died intesate

Date: April 20, 1944  
Consideration:

Allegany County Deed: Liber 139, Folio 523  
Grantee: Frederick Brant  
Grantor: Union Mining Company

Date: April 23, 1921  
Consideration: \$1,000.00

INVENTORY NO: AL-1V-B-104

DATE: 8/19/77

REMODELING: Drastic, moderate, minor

221/208  
113 x 119

NAME OF PROPERTY: Holt Log House

LOCATION OF PROPERTY: Corriganville

DIRECTION DWELLING FACES: Southeast

NAME OF OWNER: Harold O. Raygor

ADDRESS: P.O. Box 141

Corriganville, Maryland 21524

STORIES: 1( ) 2(x) 3( ) 4( ) 5( ) 6( ) BAYS: 1( ) 2( ) 3(x) 4( ) 5( ) 6( ) 7( ) ( )

WINGS, ADDITIONS: One story shed roof in the back originally board and batten, combination brick and stone foundation, tin roof, corner boards.  
(Now novelty siding and insul brick)

DWELLING SHAPE: (square, cross, rectangular)

WALL CONSTRUCTION:

- (X) FRAME: Bevel, clapboard, weatherboard, wood shingles, board & batten (type?)
- ( ) BRICK: Bond type - common, English, Flemish. Sketch variants.
- ( ) STONE: Bond type - rubble, ashlar (random or regular), quoins-plain, rusticated
- (X) LOG Mud chinking 10" thick
- ( ) OTHER: Coverings

Novelty

WALL FEATURES: Belt Course, Pilasters, Others Corner boards

FOUNDATIONS: High, Low, Brick, Stone Uncoursed rubble

WATER TABLE: None, Plain, Beveled, Moulded Brick

WINDOWS, TRIM, SHUTTERS: 1/1( ) 2/2( ) 6/6( ) 9/6( ) 9/9( ) other( )  
(See separate sheet) pegged(X) nailed(X) wide( ) narrow( ) mitred( ) pediment( )

ENTRANCE, DOORS: LOCATION: Southeast  
HARDWARE: original( ) replaced(X)  
Two lights FAN LIGHT, TRANSOM, SIDE LIGHTS, PLAIN  
3 Paneled, Verticle, Horizontal Boards

Boxed (Wide)  
CORNICE, BARGE, EAVES: (crown, fascia, soffit, bed) with return ends, bed moulding  
original( ) replaced(X) rafter ends, modillions, dentils, frieze, architrave

ROOF: Gable front, Gable flank, Hip, Shed, Mansard, Gambrel, Flat, Dormers #2 front  
MATERIAL: wood shingles, slate, tin. (asphalt; original( ) replaced(X))  
(Shingles)

PORCHES: SHAPE OF ROOF - shed(X) hip( ) gable( ) Lattice underneath, slat board ceiling and floor, 3 square wooden posts  
plain wooden rail, asphalt shingle roof.

CHIMNEYS: Number: 1 Brick(X) Stone( ) Corbeled(X) cap original( ) replaced(X)  
Flashing Location: Flush end( ) Inside end( ) Outside end( ) Central(X) Interior( )  
at base One stone chimney outside end - removed, one air vent pipe.

ARCHES: Door & Windows: Keystone, Flat, Segmental, Semicircular

COMMENTS: Originally log cabin  
Use: Private residence  
Style: Architecture  
Date Constructed: Ca. 1835  
Condition: Fair

FLOOR PLAN:

- ( ) CENTRAL HALL: Two rooms, each side; double parlor, one side
- ( ) SIDE HALL: One room deep, two rooms deep
- ( ) IRREGULAR

STAIRWAYS:

- ( ) ENCLOSED: Single flight, two flights with landing
- ( ) OPEN: Single flight, two flights - one landing, three flights - two landings
- ( ) DOG-LEG
- ( ) DOG-LEG with WINDERS
- ( ) SPIRAL
- ( ) ROUNDED
- ( ) SYMMETRICAL DIVIDED FLIGHTS

WALL FINISH:

- ( ) PLASTER
- ( ) PANELED: original; replaced
- ( ) BOARD PARTITION: baseboard, cornice, chair rail, wainscot

FIREPLACES:

NUMBER \_\_\_\_\_  
 LOCATION: parallel to walls, diagonal  
 MANTELS: wood mouldings, pilasters, columns, masonry, marble

DOORS: paneled, board and batten, flush

HARDWARE: original; replaced

DOOR & WINDOW TRIM:

- ( ) PLAIN
- ( ) ARCHITRAVE
- ( ) SYMMETRIC with CORNER BLOCKS
- ( ) FLUTED
- ( ) FLUTED with CORNER BLOCKS
- ( ) ARCHED OPENINGS: elliptical, tudor

NOTES:

---



---




---



---



---





AL-V-B-104  
Holt Log House  
Corriganville, Maryland



AL-V-B-104

HOLT LOG HOUSE

CORRIGANVILLE, MARYLAND

WILLIAM J. PRATT

12/12/77

WEST