

**MARYLAND HISTORICAL TRUST
DETERMINATION OF ELIGIBILITY FORM**

NR Eligible: yes no

Property Name: Building 9805 (704th MI Brigade, 70th ISRW HQ) Inventory Number: AA-2510-10
 Address: 9805 Emory Road Historic district: yes no
 City: Fort Meade Zip Code: 20755 County: Anne Arundel
 USGS Quadrangle(s): Laurel
 Property Owner: U.S. Government Tax Account ID Number: 90042590
 Tax Map Parcel Number(s): 0372 Tax Map Number: 0029
 Project: East Campus Integration Program EIS, Fort Meade, MD Agency: National Security Agency (NSA)
 Agency Prepared By: HDR, Inc.
 Preparer's Name: Paul Weishar Date Prepared: 9/23/2015

Documentation is presented in: _____

Preparer's Eligibility Recommendation: Eligibility recommended Eligibility not recommended

Criteria: A B C D Considerations: A B C D E F G

Complete if the property is a contributing or non-contributing resource to a NR district/property:

Name of the District/Property: _____

Inventory Number: _____ Eligible: yes no Listed: yes no

Site visit by MHT Staff yes no Name: _____ Date: _____

Description of Property and Justification: *(Please attach map and photo)*

Building Description

Building 9805 was completed in 1970 by general contractor Reliance Insurance Co. It was originally designed as a troop support facility by the USACE Baltimore District. The building is centrally located between Cochrane Road, Emory Road, Love Road, and Canine Road. Asphalt parking lots are located west and southeast of the building, with pedestrian access via concrete sidewalks. The façade (north elevation) has an elongated patio with flag pole framed by mature trees and shrubs. Mature trees and foundation plantings are interspersed on the secondary elevations.

A restrained interpretation of Modern design with extensive use of concrete and brick curtain walls, the tall two-story, twenty-nine bay building has an elongated rectangular form. Set on a concrete foundation, this concrete-block structure is veneered with panels of stretcher-bond brick on the north and south elevations and smooth concrete parging on the east and west elevations. Decorative quoins define the corners of the building and lend a Colonial Revival style to the otherwise Modern style of the building. Elongated stacked window openings, engaged concrete pilasters, and the use of brick between concrete panels lend the building verticality. The very low-pitched gable roof is covered with composition rolls. Fenestration includes elongated, paired metal-sash

MARYLAND HISTORICAL TRUST REVIEW

Eligibility recommended Eligibility not recommended
 Criteria: A B C D Considerations: A B C D E F G

MHT Comments:

Frank J. Spole 2/4/16
 Reviewer, Office of Preservation Services Date
n/a _____
 Reviewer, National Register Program Date

windows set on concrete lug sills. The main entry is centrally located on the north elevation. The inset full-height entry has canted brick-veneered walls and a concrete ceiling. A double-leaf, metal-frame glass door is framed by multi-light metal-frame sidelights. The east and west (end) elevations each have double-leaf, metal-frame glass doors (not centered on the elevation) sheltered by metal awnings. Of note, the window openings on the first story of the eastern half of the building have been infilled with stretcher-bond brick.

NSA Historic Context

The National Security Agency (NSA) can trace its history to 1917, when a Cipher Bureau was created in the Military Intelligence Division of the U.S. Army during World War I. Both the Army and the Navy maintained their own intelligence units, but during World War II, the Army and Navy formed a State-Army-Navy Communications Intelligence Board that oversaw all Communications Intelligence (COMINT) activities (Howe n.d.). In the twentieth century, COMINT was considered vital to the Nation's security and had proved invaluable to the United States and its allies during World War II. General Thomas T. Handy, who served as Deputy Chief of Staff for the Army in the latter half of the war, reportedly said that COMINT shortened the war in Europe by at least a year. Intercepted radio intelligence provided strategic opportunities that were considered turning points in the war. Although the Army and Navy collaborated on most of the COMINT during World War II, after the war, COMINT responsibilities had expanded into six different organizations, including the Army, Navy, Air Force, State Department, Central Intelligence Agency (CIA), and Federal Bureau of Investigation (FBI). All of the organizations acted independently and autonomously, which proved inefficient and ineffective; COMINT efforts were not unified and were often duplicative (Brownell 1952).

The Armed Forces Communications Intelligence Agency was established in May 1949 by the Secretary of Defense to create one unified national cryptologic agency. The agency was soon renamed the Armed Forces Security Agency (AFSA). In addition to its COMINT duties, the AFSA was also tasked with Communications Security (COMSEC) (Howe n.d.). The intent of AFSA was to direct COMINT and Electronics Intelligence (ELINT) of the military service signals intelligence units, but in reality, AFSA had little power or authority.

In 1951, the recently established National Security Council (NSC) authorized a study of the effectiveness of COMINT activities nationwide. The subsequent report, known as the Brownell Committee Report, was released in 1952. It recommended that COMINT efforts should be integrated and consolidated at the national level under the purview of a single government department (Brownell 1952). As a result, the National Security Agency (NSA) was established on November 4, 1952 by the Secretary of Defense, under specific instructions from President Harry Truman.

Lt Gen Ralph J. Canine, USA, the head of AFSA, was named the first Director of NSA. Director Canine had to bring various intelligence agencies together under the fledgling Agency, which was scattered across Washington, DC and northern Virginia. One of the first decisions Director Canine made was to consolidate the various components of the Agency and locate NSA headquarters at Fort George G. Meade in Anne Arundel County, Maryland. Fort Meade was considered far enough away from Washington, DC that in the event of a nuclear attack, the Agency would remain secure and outside of the blast zone. The move was approved and NSA began plans to build a headquarters large enough to accommodate their work force (NSA 2012).

Plans were already underway in 1951 to construct an operations building for AFSA; however when NSA was established, the mission and scope of operations of the Agency was dramatically increased. Original plans called for 1.4 million square feet of space, with approximately 1.1 million square feet for operational use. As the design process proceeded, operational space was reduced to 1.06 million square feet; however, this was still considered adequate in 1951 to accommodate the total work force and some expansion. The 1951 plans did not take into account the hiring of nearly 1,500 additional civilians for NSA later in the

MARYLAND HISTORICAL TRUST REVIEW	
Eligibility recommended _____	Eligibility not recommended _____
Criteria: ___ A ___ B ___ C ___ D	Considerations: ___ A ___ B ___ C ___ D ___ E ___ F ___ G
MHT Comments:	
_____	_____
Reviewer, Office of Preservation Services	Date
_____	_____
Reviewer, National Register Program	Date

1950s, nor did it account for the large size of 1950s computers, or the vast increase (more than 60 percent) in the amount of intelligence material to be reviewed. As a result, NSA had outgrown its first facility before construction began. As a stop-gap measure, NSA Director Canine decided to keep the COMSEC staff at the Naval Security Station in Washington, DC and await new construction rather than force staff into an over-crowded building (Canine 1955). Ultimately, a limited number of NSA personnel moved to Fort Meade in late 1952.

In May 1954, bids were solicited for the construction of the NSA operations building at Fort Meade (Claussen 1954a). The building was situated on the west side of Fort Meade in a previously undeveloped area of the installation what would become the NSA campus. In the interim, initial construction began with what is now called the 9800 Troop Support Area to the east of the operations building. Four buildings in this area (9801, 9802, 9803, 9804) were planned to serve as barracks for servicemen assigned to NSA duties. Although planned for use as barracks, NSA initially used these buildings for interim operations while they awaited the construction of the new operations building, designated Building 9800 (Claussen 1954b). All of the 9800 Troop Support Area buildings, with the exception of Building 9804, were constructed in 1954 as 500-man barracks with mess halls. Building 9804 was originally constructed as a 250-man barracks. Because of anticipated growth of the Agency due in large part to their efforts in Korean and Vietnam, in March 1955, NSA requested that an additional 250-man barracks with mess hall be added to Building 9804 to provide for Navy male enlisted personnel working for NSA after the final move (Campbell 1955).

Interim operations of NSA at Fort Meade began January 31, 1955 and continued until Building 9800 was completed in 1957. The three-story, \$35-million building was expected to house 12,000 NSA personnel in 1.4 million square feet of space. Construction of Building 9800 was supervised by the U.S. Army Corps of Engineers Baltimore District (Evening Sun 1957). The NSA campus continued to expand with the construction of various support buildings in the mid-1950s, including a dining hall and library, warehouses, garages, flammable material storage buildings, and a substation. Although Building 9800 was large, it was not large enough to house all NSA intelligence employees. The Korean War had resulted in NSA rapidly increasing its number of personnel. As a result of overcrowding, COMSEC remained in DC until Building 9800A (HQ High-rise) and Building 9817 were completed in 1968 (NSA 2012). Building 9814 was added in 1965. The 1970s saw the addition of Buildings 9829 (Post Office, 1972), 9828 (Davis Hall, 1973), 9703 (1973), and 9705 (1976).

As technology improved in the 1950s and weaponry and other systems began emitting non-communications signals, NSA developed Electronic Intelligence (ELINT) programs to intercept those electronic signals via satellites. NSA adopted the term Signal Intelligence (SIGINT) in 1958 to encompass both COMINT and ELINT (Howe n.d.). In the 1960s, NSA focused on providing timely intelligence for the White House and various US agencies, not just those in the Department of Defense. The Agency developed new, innovative ways to expand their collection capabilities and worked with other cryptologic organizations, such as the Naval Security Group, to create new technologies. During the Cuban Missile Crisis, NSA's technological advances allowed analysts to conclude that the Soviets assumed control of Cuba's air defense network, posing a very real threat to the United States. As part of its efforts to provide accurate and timely information, NSA established a network of listening posts in the mid-1960s that provided them with additional sources of intelligence. NSA's focus on increasing its efficiency and operations in the 1960s resulted in providing intelligence that became essential to the decision-making process of President Kennedy during the Cuban Missile Crisis and that of subsequent presidents (NSA 2012).

NSA continued to provide accurate and timely intelligence and counter intelligence through the third-quarter of the twentieth century. The Agency consolidated the large amount of data collected and channeled it through a central location that could be disseminated to the appropriate consumer during a crisis situation. The Cold War ensured that NSA remained focused on the Soviet Union and its allies, with intelligence gathering focused on military forces, rocket forces, air defense forces, and airborne troops; however in the 1970s, the NSA also began providing information related to terrorist-related kidnappings, assassinations, and hijackings (NSA 2012).

MARYLAND HISTORICAL TRUST REVIEW	
Eligibility recommended _____	Eligibility not recommended _____
Criteria: ___ A ___ B ___ C ___ D	Considerations: ___ A ___ B ___ C ___ D ___ E ___ F ___ G
MHT Comments:	
_____	_____
Reviewer, Office of Preservation Services	Date
_____	_____
Reviewer, National Register Program	Date

In the 1970s and 1980s, technology made giant leaps forward in computing and electronic networks. NSA became an expert in securing information systems through encryption technology, improved voice security equipment, and adopted a centralized computer system. When Ronald Reagan was elected president in 1980, he made defense, foreign policy, and intelligence matters top priorities for his administration. NSA used fixed ground stations, airborne platforms, other ground-based communications, and geosynchronous and polar orbiting satellites to gather information and achieve its mission. NSA also analyzed information and provided intelligence support to U.S. policymakers to help them understand the larger context of political situations. NSA provided cryptologic support to U.S. and allied military forces during the Gulf War in the 1990s and eventually became involved in counternarcotic activities (NSA 2012).

Back on the NSA campus, a large operations building, Building 9800C/D, was completed in September 1986. President Reagan and First Lady Nancy Reagan attended the dedication of the building, which marked the largest construction project on the NSA campus since the 1950s (NSA 2012).

With the end of the Cold War in the late 1980s, Congress made significant cuts in NSA's personnel and budget. The Agency's future was unclear and it consolidated sites and personnel as it was downsized. In response to the public's growing interest in a relatively unknown agency, NSA also had to determine how much information on the Agency and its activities would be openly provided. NSA began outreach programs to teach cryptology to local students to attract interest in the field, opened the National Cryptologic Museum, and created the National Vigilance Park in 1996 to honor the "silent warriors" who risked their lives on airborne signals intelligence missions during the Cold War. The Agency also allowed a documentary to be filmed at NSA, the first time the Agency opened its doors to outside cameras. Lt Gen Michael V. Hayden, USAF was appointed Director of NSA in 1999. He ushered in an era of openness at the Agency that was unheard of. He gave speeches, made public appearances, and reached out directly to the press, inviting journalists to dinner for discussions on the Agency and its mission (NSA 2012).

As NSA moved into the twenty-first century, Director Hayden commissioned a study of NSA's organization and operations to make recommendations for change. As a result, the Agency implemented multiple adjustments based on opening communication up and down the chain of command and emphasizing employees' own personal responsibility to foster beneficial change. After a massive computer system failure in 2000, NSA began a transition to rely more on private contractor support that allowed NSA's technical employees to focus on their mission. Responding to the information age and burgeoning technology, NSA worked to provide secure communications across new digital cellular networks (NSA 2012).

After the terrorist attacks on September 11, 2001, NSA was forced to examine its readiness to deal with unconventional enemies and attacks. NSA joined America's armed forces in the war in Afghanistan to bring down al Qaeda and remove the Taliban from power. As part of Expeditionary SIGINT, NSA personnel were deployed with military forces to provide them with tailored and immediate SIGINT for military operations. NSA personnel included language analysts, cryptologists, technicians, and engineers who provided real-time support for the military in theater. NSA also developed secured coalition networks that provided secure communications for troops and operations throughout Operation IRAQI FREEDOM. At the same time, NSA responded to the growing national concern regarding cybersecurity and protecting digital networks and data from terrorists and other threats. As a result, when the U.S. military reorganized its cyber operations in 2005, the new "network warfare" unit was based at NSA and the Director became that unit's Commander (NSA 2012).

Today, NSA continues to address issues of cyberterrorism, computer hacking, and securing digital information and communications, as well as producing SIGINT. NSA is constantly adjusting and improving its capabilities to defend the U.S. against attacks through information assurance and the collection of foreign signals intelligence (NSA 2012).

MARYLAND HISTORICAL TRUST REVIEW																							
Eligibility recommended _____				Eligibility not recommended _____																			
Criteria:	___	A	___	B	___	C	___	D	Considerations:	___	A	___	B	___	C	___	D	___	E	___	F	___	G
MHT Comments:																							
_____												_____											
Reviewer, Office of Preservation Services												Date											
_____												_____											
Reviewer, National Register Program												Date											

NRHP Evaluation

Building 9805 is recommended not eligible for listing in the National Register of Historic Places (NRHP). The building was completed in 1970 as a Troop Support Facility for NSA. Although it was constructed during the Cold War era, this building is not associated with significant events related to the Cold War, NSA, or Fort Meade, and is therefore not eligible for listing in the NRHP under Criterion A. The building is not associated with any individuals significant in our past and is not eligible under Criterion B. Building 9805 does not embody the distinctive characteristics of a type, period, or method of construction, nor does it represent the work of a master or possess high artistic value. The building is not notable in terms of mid-twentieth century architectural design or construction, rather it is an example of a typical building type, design, and method of construction commonly found on military installations across the U.S. and is not architecturally significant. As a result, the building is not eligible for listing under Criterion C. The building is also unlikely to yield information important to history or prehistory and is not eligible under Criterion D. Since this building was less than 50 years old at the time of survey, it was also evaluated under Criteria Consideration G. While this building currently represents the installation's use by the NSA, the building is not exceptionally significant for its architecture or historic associations. These support buildings are fairly conventional and conservative in design, containing few, if any, features representative of Modern architecture. The building has replacement windows and door openings have been altered for modernization and to meet DoD Anti-Terrorism Force Protection standards. These replacement materials and the application of a standing-seam metal roof/cornice have compromised the building's integrity of design, materials, and workmanship. The building maintains integrity of location, setting, feeling, and association.

References Cited

Brownell, George A., Charles E. Bohlen, John Magruder, Brig. Gen., USA (Ret.), William H. Jackson. "Report to the Secretary of State and the Secretary of Defense by a special committee appointed pursuant to letter of 28 December 1951." Also known as the "Brownell Committee Report". 13 June 1952.

https://www.nsa.gov/about/cryptologic_heritage/60th/interactive_timeline/Content/preNSA/documents/19520613_PreNSA_Doc_3201737_Brownell.pdf

Campbell, Colonel George E. Memorandum to the Chief of Naval Operations regarding Navy Space Requirements at Fort George G. Meade, Maryland, dated 17 March 1955.

https://www.nsa.gov/about/cryptologic_heritage/60th/interactive_timeline/Content/1950s/documents/19550331_1950_Doc_3978570_Navy.pdf

Canine, Ralph J. Memorandum to the Secretary of Defense regarding the Alleviation of Overcrowding Upon Initial occupancy of NSA Operations Building at Fort Meade, dated 1 June 1955.

https://www.nsa.gov/about/cryptologic_heritage/60th/interactive_timeline/Content/1950s/documents/19550601_1950_Doc_3978581_Alleviation.pdf

Claussen, Peter H., Jr. Memorandum for All NSA Employees regarding Move to Fort Meade, dated 14 May 1954. (1954a).

https://www.nsa.gov/about/cryptologic_heritage/60th/interactive_timeline/Content/1950s/documents/19540514_1950_Doc_3978561_Memo.pdf

Claussen, Peter H., Jr. Memorandum for All NSA Employees regarding Firm Moving Date Set for Interim Move, dated 24 August 1954. (1954b).

https://www.nsa.gov/about/cryptologic_heritage/60th/interactive_timeline/Content/1950s/documents/19540824_1950_Doc_3978568_Memo.pdf

MARYLAND HISTORICAL TRUST REVIEW	
Eligibility recommended _____	Eligibility not recommended _____
Criteria: ___ A ___ B ___ C ___ D	Considerations: ___ A ___ B ___ C ___ D ___ E ___ F ___ G
MHT Comments:	
_____	_____
Reviewer, Office of Preservation Services	Date
_____	_____
Reviewer, National Register Program	Date

Evening Sun (Baltimore). "Fort Meade's Big New Hush-Hush Building Nearing Completion." 7 June 1957.

Howe, George F. "The Early History of NSA." National Security Agency, n.d.
https://www.nsa.gov/public_info/_files/cryptologic_spectrum/early_history_nsa.pdf.

National Security Agency (NSA). National Security Agency: 60 Years of Defending our Nation. 2012.
https://www.nsa.gov/about/cryptologic_heritage/60th/book/NSA_60th_Anniversary.pdf.

MARYLAND HISTORICAL TRUST REVIEW

Eligibility recommended _____ Eligibility not recommended _____

Criteria: ___ A ___ B ___ C ___ D Considerations: ___ A ___ B ___ C ___ D ___ E ___ F ___ G

MHT Comments:


Reviewer, Office of Preservation Services

Date

Reviewer, National Register Program

Date

AA-2510-10
NSA, Building 9805
Fort Meade
Anne Arundel County
Laurel Quadrangle, 1965
(photorevised 1979)



Argonne Hills

NATIONAL SECURITY AGENCY

9805

Radio Tower


Athletic Field

COLUMBIA CENTER

PATUXENT RIVER

Apple Glen

Scale (in feet)



National Security Agency (NSA)
 EIS for the East Campus Integration Program at Fort Meade, MD
 Anne Arundel County
 All photos taken by NSA, June/October 2015

			northeast
		AA-2510-9_2015-06-03_03	Façade (southwest elevation), view southeast
		AA-2510-9_2015-06-03_04	Northwest corner, view southeast
AA-2510-10	9805	AA-2510-10_2015-06-03_01	Façade (north elevation), view south
		AA-2510-10_2015-06-03_02	West (side) elevation, view east
		AA-2510-10_2015-06-03_03	East (side) elevation, view northwest
		AA-2510-10_2015-06-03_04	South (rear) elevation, view northeast
AA-2510-11	9804	AA-2510-11_2015-06-03_01	Southwest corner, view north
		AA-2510-11_2015-06-03_02	Courtyard, view north
		AA-2510-11_2015-06-03_03	Courtyard, view northeast
		AA-2510-11_2015-06-03_04	East (side) elevation, view northwest
		AA-2510-11_2015-06-03_05	East (side) elevation, view west
AA-2510-12	9803	AA-2510-12_2015-06-03_01	Façade (north elevation), view south
		AA-2510-12_2015-06-03_02	Northeast corner, view southwest
		AA-2510-12_2015-06-03_03	East (side) elevation, view west
AA-2510-13	9802	AA-2510-13_2015-06-03_01	Façade (north elevation), view south
		AA-2510-13_2015-06-03_02	Southeast corner, view north
AA-2510-14	9801	AA-2510-14_2015-06-03_01	Façade (north elevation), view south
		AA-2510-14_2015-06-03_02	Northwest corner, view southeast
		AA-2510-14_2015-06-03_03	West (side) elevation, view east
		AA-2510-14_2015-06-03_04	Southwest corner, view north
		AA-2510-14_2015-06-03_05	Scuttheast corner, view northwest
AA-2510-15	9800A	AA-2510-15_2015-06-03_01	Façade (west elevation), view northeast
		AA-2510-15_2015-06-03_02	Façade (west elevation), view southeast
		AA-2510-15_2015-06-03_03	Gatehouse (9821), façade (west elevation), view east
AA-2510-16	9800C/D	AA-2510-16_2015-10-13_01	South elevation, view north
		AA-2510-16_2015-10-13_02	Southeast corner, view northwest
		AA-2510-16_2015-10-13_03	Southeast corner, view north northwest
		AA-2510-16_2015-10-13_04	Northeast corner, view southwest
		AA-2510-16_2015-10-13_05	North elevation, view south
AA-34-5	9810	AA-34-5_2015-06-03_01	Façade (south elevation), view northwest
		AA-34-5_2015-06-03_02	Façade (south elevation), view northwest
		AA-34-5_2015-06-03_03	Façade (south elevation), view northeast
		AA-34-5_2015-06-03_04	East (side) elevation, view northwest
		AA-34-5_2015-06-03_05	North (rear) elevation, view southwest

Photos printed using HP Premium Plus Glossy Photo Paper and HP Viverra Ink 38.



70th MI Brigade
MOC
70th ISR Wing
Headquarters
9808 Emory Rd.

AA-2510-10

NSA, Building 9805

Anne Arundel County, Maryland

NSA

June 3, 2015

MD SHPO

Facade (north elevation), view south

1/4

Headquarters
ARMY - NAVY - AIR FORCE
Security Services

9805



AA-2510-10

NSA, Building 9805

Anne Arundel County, Maryland

NSA

June 3, 2015

MD SHPO

West (side) elevation, view east

2/4



AA-2510-10

NSA, Building 9805

Anne Arundel County, Maryland

NSA

June 3, 2015

MD SHPO

East(side) elevation, view northwest

3/4



AA-2510-10

NSA, Building 9805

Anne Arundel County, Maryland

NSA

June 3, 2015

M.D. SHPO

South (rear) elevation, view northeast

4/4