

**MARYLAND HISTORICAL TRUST
DETERMINATION OF ELIGIBILITY FORM**

NR Eligible: yes
no

Property Name: Building 9827 (McNeill Hall, 694th Intel Grp) Inventory Number: AA-2510-9
 Address: 9827 Love Road Historic district: yes no
 City: Fort Meade Zip Code: 20755 County: Anne Arundel
 USGS Quadrangle(s): Laurel
 Property Owner: U.S. Government Tax Account ID Number: 90042590
 Tax Map Parcel Number(s): 0372 Tax Map Number: 0029
 Project: East Campus Integration Program EIS, Fort Meade, MD Agency: National Security Agency (NSA)
 Agency Prepared By: HDR, Inc.
 Preparer's Name: Paul Weishar Date Prepared: 9/23/2015

Documentation is presented in: Kuranda, Kathryn M., Brian Cleven, Nathaniel Patch, Katherine Grandine, and Christine Heidenrich. "Army Unaccompanied Personnel Housing During the Cold War (1946-1989)". R. Christopher Goodwin & Associates for USAEC, Aberdeen Proving Ground, 2003.

Preparer's Eligibility Recommendation: Eligibility recommended Eligibility not recommended

Criteria: A B C D Considerations: A B C D E F G

Complete if the property is a contributing or non-contributing resource to a NR district/property:

Name of the District/Property: _____

Inventory Number: _____ Eligible: yes no Listed: yes no

Site visit by MHT Staff yes no Name: _____ Date: _____

Description of Property and Justification: *(Please attach map and photo)*

Building Description

Building 9827, McNeill Hall, was completed in 1971 by the Jenkins Construction Co., a contractor based in Silver Spring, MD. The building was constructed as a 500-Man Enlisted Barracks without a mess hall. Located east of Love Road, west of 3rd Cavalry Road, and south of Rockenbach Road, the building is set on a level, grassy site accessed via concrete walkways. Trees frame the building to the north while a parking lot is located to the south. Landscaping is minimal, with a few mature trees and shrubs scattered around the building.

A restrained interpretation of Modern design, the building has an H-shaped form composed of two, three-story, thirteen-bay wings set in parallel which are linked by a two-story hyphen. Full-height projecting bays are located on the north and south ends of the wings. Set on a partial basement, this concrete-block structure has a stretcher-bond brick veneer. The steel joist flat roofs are covered with composition roll and finished with a concrete band with metal coping. Elongated bays of two-light metal-sash windows set above operable sash with narrow concrete spandrels are stacked along the east and west elevations of the wings that

MARYLAND HISTORICAL TRUST REVIEW

Eligibility recommended Eligibility not recommended
 Criteria: A B C D Considerations: A B C D E F G

MHT Comments:

Amanda D. Apple 2/4/16
 Reviewer, Office of Preservation Services Date
N/A _____
 Reviewer, National Register Program Date

201600049

lend the building verticality. The façade (west elevation) has a one-story, three-bay porch constructed of precast concrete. The porch has a flat roof and square concrete supports and shelters the main entry, which has a pair of double-leaf, metal-frame glass doors flanked by full-height sidelights. The east (rear) elevation has a secondary entrance inset and sheltered by a flat-roof cantilevered porch. This smaller entry has a double-leaf, metal-frame glass door flanked by full-height sidelights. Single-leaf, flush metal doors are located on the four projecting bays on the north and south elevations. Fenestration of the hyphen consists of ribbons of stacked fixed metal sash set above blank panels with concrete surrounds on the first story and paired metal sash set above operable sash on the second story.

NSA Historic Context

The National Security Agency (NSA) can trace its history to 1917, when a Cipher Bureau was created in the Military Intelligence Division of the U.S. Army during World War I. Both the Army and the Navy maintained their own intelligence units, but during World War II, the Army and Navy formed a State-Army-Navy Communications Intelligence Board that oversaw all Communications Intelligence (COMINT) activities (Howe n.d.). In the twentieth century, COMINT was considered vital to the Nation's security and had proved invaluable to the United States and its allies during World War II. General Thomas T. Handy, who served as Deputy Chief of Staff for the Army in the latter half of the war, reportedly said that COMINT shortened the war in Europe by at least a year. Intercepted radio intelligence provided strategic opportunities that were considered turning points in the war. Although the Army and Navy collaborated on most of the COMINT during World War II, after the war, COMINT responsibilities had expanded into six different organizations, including the Army, Navy, Air Force, State Department, Central Intelligence Agency (CIA), and Federal Bureau of Investigation (FBI). All of the organizations acted independently and autonomously, which proved inefficient and ineffective; COMINT efforts were not unified and were often duplicative (Brownell 1952).

The Armed Forces Communications Intelligence Agency was established in May 1949 by the Secretary of Defense to create one unified national cryptologic agency. The agency was soon renamed the Armed Forces Security Agency (AFSA). In addition to its COMINT duties, the AFSA was also tasked with Communications Security (COMSEC) (Howe n.d.). The intent of AFSA was to direct COMINT and Electronics Intelligence (ELINT) of the military service signals intelligence units, but in reality, AFSA had little power or authority.

In 1951, the recently established National Security Council (NSC) authorized a study of the effectiveness of COMINT activities nationwide. The subsequent report, known as the Brownell Committee Report, was released in 1952. It recommended that COMINT efforts should be integrated and consolidated at the national level under the purview of a single government department (Brownell 1952). As a result, the National Security Agency (NSA) was established on November 4, 1952 by the Secretary of Defense, under specific instructions from President Harry Truman.

Lt Gen Ralph J. Canine, USA, the head of AFSA, was named the first Director of NSA. Director Canine had to bring various intelligence agencies together under the fledgling Agency, which was scattered across Washington, DC and northern Virginia. One of the first decisions Director Canine made was to consolidate the various components of the Agency and locate NSA headquarters at Fort George G. Meade in Anne Arundel County, Maryland. Fort Meade was considered far enough away from Washington, DC that in the event of a nuclear attack, the Agency would remain secure and outside of the blast zone. The move was approved and NSA began plans to build a headquarters large enough to accommodate their work force (NSA 2012).

Plans were already underway in 1951 to construct an operations building for AFSA; however when NSA was established, the mission and scope of operations of the Agency was dramatically increased. Original plans called for 1.4 million square feet of space, with approximately 1.1 million square feet for operational use. As the design process proceeded, operational space was

MARYLAND HISTORICAL TRUST REVIEW

Eligibility recommended _____ Eligibility not recommended _____
Criteria: ___ A ___ B ___ C ___ D Considerations: ___ A ___ B ___ C ___ D ___ E ___ F ___ G

MHT Comments:

Reviewer, Office of Preservation Services Date

Reviewer, National Register Program Date

reduced to 1.06 million square feet; however, this was still considered adequate in 1951 to accommodate the total work force and some expansion. The 1951 plans did not take into account the hiring of nearly 1,500 additional civilians for NSA later in the 1950s, nor did it account for the large size of 1950s computers, or the vast increase (more than 60 percent) in the amount of intelligence material to be reviewed. As a result, NSA had outgrown its first facility before construction began. As a stop-gap measure, NSA Director Canine decided to keep the COMSEC staff at the Naval Security Station in Washington, DC and await new construction rather than force staff into an over-crowded building (Canine 1955). Ultimately, a limited number of NSA personnel moved to Fort Meade in late 1952.

In May 1954, bids were solicited for the construction of the NSA operations building at Fort Meade (Claussen 1954a). The building was situated on the west side of Fort Meade in a previously undeveloped area of the installation what would become the NSA campus. In the interim, initial construction began with what is now called the 9800 Troop Support Area to the east of the operations building. Four buildings in this area (9801, 9802, 9803, 9804) were planned to serve as barracks for servicemen assigned to NSA duties. Although planned for use as barracks, NSA initially used these buildings for interim operations while they awaited the construction of the new operations building, designated Building 9800 (Claussen 1954b). All of the 9800 Troop Support Area buildings, with the exception of Building 9804, were constructed in 1954 as 500-man barracks with mess halls. Building 9804 was originally constructed as a 250-man barracks. Because of anticipated growth of the Agency due in large part to their efforts in Korean and Vietnam, in March 1955, NSA requested that an additional 250-man barracks with mess hall be added to Building 9804 to provide for Navy male enlisted personnel working for NSA after the final move (Campbell 1955).

Interim operations of NSA at Fort Meade began January 31, 1955 and continued until Building 9800 was completed in 1957. The three-story, \$35-million building was expected to house 12,000 NSA personnel in 1.4 million square feet of space. Construction of Building 9800 was supervised by the U.S. Army Corps of Engineers Baltimore District (Evening Sun 1957). The NSA campus continued to expand with the construction of various support buildings in the mid-1950s, including a dining hall and library, warehouses, garages, flammable material storage buildings, and a substation. Although Building 9800 was large, it was not large enough to house all NSA intelligence employees. The Korean War had resulted in NSA rapidly increasing its number of personnel. As a result of overcrowding, COMSEC remained in DC until Building 9800A (HQ High-rise) and Building 9817 were completed in 1968 (NSA 2012). Building 9814 was added in 1965. The 1970s saw the addition of Buildings 9829 (Post Office, 1972), 9828 (Davis Hall, 1973), 9703 (1973), and 9705 (1976).

As technology improved in the 1950s and weaponry and other systems began emitting non-communications signals, NSA developed Electronic Intelligence (ELINT) programs to intercept those electronic signals via satellites. NSA adopted the term Signal Intelligence (SIGINT) in 1958 to encompass both COMINT and ELINT (Howe n.d.). In the 1960s, NSA focused on providing timely intelligence for the White House and various US agencies, not just those in the Department of Defense. The Agency developed new, innovative ways to expand their collection capabilities and worked with other cryptologic organizations, such as the Naval Security Group, to create new technologies. During the Cuban Missile Crisis, NSA's technological advances allowed analysts to conclude that the Soviets assumed control of Cuba's air defense network, posing a very real threat to the United States. As part of its efforts to provide accurate and timely information, NSA established a network of listening posts in the mid-1960s that provided them with additional sources of intelligence. NSA's focus on increasing its efficiency and operations in the 1960s resulted in providing intelligence that became essential to the decision-making process of President Kennedy during the Cuban Missile Crisis and that of subsequent presidents (NSA 2012).

NSA continued to provide accurate and timely intelligence and counter intelligence through the third-quarter of the twentieth century. The Agency consolidated the large amount of data collected and channeled it through a central location that could be disseminated to the appropriate consumer during a crisis situation. The Cold War ensured that NSA remained focused on the Soviet Union and its allies, with intelligence gathering focused on military forces, rocket forces, air defense forces, and airborne

MARYLAND HISTORICAL TRUST REVIEW

Eligibility recommended _____ Eligibility not recommended _____
Criteria: ___ A ___ B ___ C ___ D Considerations: ___ A ___ B ___ C ___ D ___ E ___ F ___ G

MHT Comments:

Reviewer, Office of Preservation Services

Date

Reviewer, National Register Program

Date

troops; however in the 1970s, the NSA also began providing information related to terrorist-related kidnappings, assassinations, and hijackings (NSA 2012).

In the 1970s and 1980s, technology made giant leaps forward in computing and electronic networks. NSA became an expert in securing information systems through encryption technology, improved voice security equipment, and adopted a centralized computer system. When Ronald Reagan was elected president in 1980, he made defense, foreign policy, and intelligence matters top priorities for his administration. NSA used fixed ground stations, airborne platforms, other ground-based communications, and geosynchronous and polar orbiting satellites to gather information and achieve its mission. NSA also analyzed information and provided intelligence support to U.S. policymakers to help them understand the larger context of political situations. NSA provided cryptologic support to U.S. and allied military forces during the Gulf War in the 1990s and eventually became involved in counternarcotic activities (NSA 2012).

Back on the NSA campus, a large operations building, Building 9800C/D, was completed in September 1986. President Reagan and First Lady Nancy Reagan attended the dedication of the building, which marked the largest construction project on the NSA campus since the 1950s (NSA 2012).

With the end of the Cold War in the late 1980s, Congress made significant cuts in NSA's personnel and budget. The Agency's future was unclear and it consolidated sites and personnel as it was downsized. In response to the public's growing interest in a relatively unknown agency, NSA also had to determine how much information on the Agency and its activities would be openly provided. NSA began outreach programs to teach cryptology to local students to attract interest in the field, opened the National Cryptologic Museum, and created the National Vigilance Park in 1996 to honor the "silent warriors" who risked their lives on airborne signals intelligence missions during the Cold War. The Agency also allowed a documentary to be filmed at NSA, the first time the Agency opened its doors to outside cameras. Lt Gen Michael V. Hayden, USAF was appointed Director of NSA in 1999. He ushered in an era of openness at the Agency that was unheard of. He gave speeches, made public appearances, and reached out directly to the press, inviting journalists to dinner for discussions on the Agency and its mission (NSA 2012).

As NSA moved into the twenty-first century, Director Hayden commissioned a study of NSA's organization and operations to make recommendations for change. As a result, the Agency implemented multiple adjustments based on opening communication up and down the chain of command and emphasizing employees' own personal responsibility to foster beneficial change. After a massive computer system failure in 2000, NSA began a transition to rely more on private contractor support that allowed NSA's technical employees to focus on their mission. Responding to the information age and burgeoning technology, NSA worked to provide secure communications across new digital cellular networks (NSA 2012).

After the terrorist attacks on September 11, 2001, NSA was forced to examine its readiness to deal with unconventional enemies and attacks. NSA joined America's armed forces in the war in Afghanistan to bring down al Qaeda and remove the Taliban from power. As part of Expeditionary SIGINT, NSA personnel were deployed with military forces to provide them with tailored and immediate SIGINT for military operations. NSA personnel included language analysts, cryptologists, technicians, and engineers who provided real-time support for the military in theater. NSA also developed secured coalition networks that provided secure communications for troops and operations throughout Operation IRAQI FREEDOM. At the same time, NSA responded to the growing national concern regarding cybersecurity and protecting digital networks and data from terrorists and other threats. As a result, when the U.S. military reorganized its cyber operations in 2005, the new "network warfare" unit was based at NSA and the Director became that unit's Commander (NSA 2012).

Today, NSA continues to address issues of cyberterrorism, computer hacking, and securing digital information and communications, as well as producing SIGINT. NSA is constantly adjusting and improving its capabilities to defend the U.S.

MARYLAND HISTORICAL TRUST REVIEW																							
Eligibility recommended _____							Eligibility not recommended _____																
Criteria:	___	A	___	B	___	C	___	D	Considerations:	___	A	___	B	___	C	___	D	___	E	___	F	___	G
MHT Comments:																							
_____												_____											
Reviewer, Office of Preservation Services												Date											
_____												_____											
Reviewer, National Register Program												Date											

against attacks through information assurance and the collection of foreign signals intelligence (NSA 2012).

NRHP Evaluation

In 1964, DoD instructed the military branches to create standardized designs for barracks and support buildings. Designs were prepared by the USACE and were implemented during the FY 1967 military construction program. As noted in the Air Force and Navy Unaccompanied Personnel Housing During the Cold War Era, 1946-1989 by R. Christopher Goodwin & Associates (2011), this unified construction system reflected the military's shift to requesting appropriations for housing and ancillary buildings at the same time. The purpose of this approach was to unite the military services under a single umbrella of construction criteria for specific buildings types. Standardized plans were developed to reduce design time and construction costs and time and installation-specific designs were eliminated which provided for a more effective delegation of funds between the services which up to this point varied greatly in their knowledge and effectiveness of what types, and how many, buildings to construct to effectively complete their mission.

As noted in the Army Unaccompanied Personnel Housing (UPH) Historic Context, 1946-1989 by R. Christopher Goodwin & Associates (2003), enlisted barracks are the most common type of UPH facility constructed by the DoD. The H-shaped form replaced the previous hammerhead barracks design, which provided space for only one company. These buildings, due to their H-shaped form, provided flexible interior layouts while maintaining company integrity, a major initiative designed by the DoD to increase morale and retention as the military returned to an all-volunteer force.

Building 9827 is recommended not eligible for listing in the National Register of Historic Places (NRHP). The building was completed in 1971 as a 500-Man Enlisted Barracks without a mess hall. Although it was constructed during the Cold War era, this building is not associated with significant events related to the Cold War, NSA, or Fort Meade, and is therefore not eligible for listing in the NRHP under Criterion A. The building is not associated with any individuals significant in our past and is not eligible under Criterion B. Building 9827 does not embody the distinctive characteristics of a type, period, or method of construction, nor does it represent the work of a master or possess high artistic value. The building is not notable in terms of mid-twentieth century architectural design or construction and is a common building type found on military installations across the U.S. As a result, the building is not eligible for listing under Criterion C. The building is also unlikely to yield information important to history or prehistory and is not eligible under Criterion D. Since this building was less than 50 years old at the time of survey, it was also evaluated under Criteria Consideration G. The building is not exceptionally significant and is therefore not eligible under Criteria Consideration G.

References Cited

Brownell, George A., Charles E. Bohlen, John Magruder, Brig. Gen., USA (Ret.), William H. Jackson. "Report to the Secretary of State and the Secretary of Defense by a special committee appointed pursuant to letter of 28 December 1951." Also known as the "Brownell Committee Report". 13 June 1952.

https://www.nsa.gov/about/cryptologic_heritage/60th/interactive_timeline/Content/preNSA/documents/19520613_PreNSA_Doc_3201737_Brownell.pdf

Campbell, Colonel George E. Memorandum to the Chief of Naval Operations regarding Navy Space Requirements at Fort George G. Meade, Maryland, dated 17 March 1955.

https://www.nsa.gov/about/cryptologic_heritage/60th/interactive_timeline/Content/1950s/documents/19550331_1950_Doc_3978570_Navy.pdf

MARYLAND HISTORICAL TRUST REVIEW

Eligibility recommended _____ Eligibility not recommended _____
Criteria: ___ A ___ B ___ C ___ D Considerations: ___ A ___ B ___ C ___ D ___ E ___ F ___ G

MHT Comments:

Reviewer, Office of Preservation Services Date

Reviewer, National Register Program Date

Canine, Ralph J. Memorandum to the Secretary of Defense regarding the Alleviation of Overcrowding Upon Initial occupancy of NSA Operations Building at Fort Meade, dated 1 June 1955.

https://www.nsa.gov/about/cryptologic_heritage/60th/interactive_timeline/Content/1950s/documents/19550601_1950_Doc_3978581_Alleviation.pdf

Claussen, Peter H., Jr. Memorandum for All NSA Employees regarding Move to Fort Meade, dated 14 May 1954. (1954a).

https://www.nsa.gov/about/cryptologic_heritage/60th/interactive_timeline/Content/1950s/documents/19540514_1950_Doc_3978561_Memo.pdf

Claussen, Peter H., Jr. Memorandum for All NSA Employees regarding Firm Moving Date Set for Interim Move, dated 24 August 1954. (1954b).

https://www.nsa.gov/about/cryptologic_heritage/60th/interactive_timeline/Content/1950s/documents/19540824_1950_Doc_3978568_Memo.pdf

Evening Sun (Baltimore). "Fort Meade's Big New Hush-Hush Building Nearing Completion." 7 June 1957.

Howe, George F. "The Early History of NSA." National Security Agency, n.d.

https://www.nsa.gov/public_info/_files/cryptologic_spectrum/early_history_nsa.pdf

National Security Agency (NSA). National Security Agency: 60 Years of Defending our Nation. 2012.

https://www.nsa.gov/about/cryptologic_heritage/60th/book/NSA_60th_Anniversary.pdf

MARYLAND HISTORICAL TRUST REVIEW

Eligibility recommended _____ Eligibility not recommended _____

Criteria: ___ A ___ B ___ C ___ D Considerations: ___ A ___ B ___ C ___ D ___ E ___ F ___ G

MHT Comments:


Reviewer, Office of Preservation Services

Date


Reviewer, National Register Program

Date

AA-2510-9
NSA, Building 9827
Fort Meade
Anne Arundel County
Laurel Quadrangle, 1965
(photorevised 1979)



Scale (in feet)



National Security Agency (NSA)
 EIS for the East Campus Integration Program at Fort Meade, MD
 Anne Arundel County
 All photos taken by NSA, June/October 2015

Photo Log

MIHP #	Building Number	File Name	Photo Description
AA-2510-1	9800	AA-2510-1_2015-10-13_01	Southeast corner, view northwest
		AA-2510-1_2015-10-13_02	South (side) elevation and addition (9824), view north
		AA-2510-1_2015-10-13_03	North (side) elevation, view south
AA-2510-2	9705	AA-2510-2_2015-06-03_01	Façade (north elevation), view southeast
		AA-2510-2_2015-06-03_02	Façade (north elevation), view southwest
		AA-2510-2_2015-06-03_03	Gatehouse (9704), view southeast
AA-2510-3	9703	AA-2510-3_2015-06-03_01	East (side) elevation, view southwest
		AA-2510-3_2015-06-03_02	Façade (north elevation), view south
		AA-2510-3_2015-06-03_03	Associated building (9703A), view southwest
AA-2510-4	9817	AA-2510-4_2015-06-03_01	Façade (south elevation), view northeast
		AA-2510-4_2015-06-03_02	Façade (south elevation), view northwest; Addition on southeast corner (9817)
		AA-2510-4_2015-06-03_03	Façade (south elevation), view northeast
		AA-2510-4_2015-06-03_04	Gatehouse (9818), façade (south elevation), view north
		AA-2510-4_2015-06-03_05	Gatehouse (9826), façade (east elevation), view southwest
AA-2510-5	9814	AA-2510-5_2015-06-03_01	East (side) elevation, view west
		AA-2510-5_2015-06-03_02	Façade (north elevation), view southeast
		AA-2510-5_2015-06-03_03	Façade (north elevation), view southwest
		AA-2510-5_2015-06-03_04	Addition on east (side) elevation (9814A), view southwest
		AA-2510-5_2015-06-03_05	Gatehouse (9825), façade (north elevation), view southwest
AA-2510-6	9808	AA-2510-6_2015-06-03_01	Façade (north elevation), view southwest
		AA-2510-6_2015-06-03_02	Façade (north elevation), view east
		AA-2510-6_2015-06-03_03	Façade (north elevation), view southeast
		AA-2510-6_2015-06-03_04	Gatehouse (9811), façade (north elevation), view southeast
		AA-2510-6_2015-06-03_05	Gatehouse (9811), southeast corner, view northwest
AA-2510-7	9829	AA-2510-7_2015-06-03_01	Façade (east elevation), view southwest.
		AA-2510-7_2015-06-03_02	North (side) elevation, view southwest; Post Office addition (9829A)
		AA-2510-7_2015-06-03_03	West (rear) elevation, view northeast
		AA-2510-7_2015-06-03_04	South (side) elevation, view north
		AA-2510-7_2015-06-03_05	Post Office addition (9829A) on (north) side elevation, view south
AA-2510-8	9828	AA-2510-8_2015-06-03_01	South corner, view northeast of southern corner
		AA-2510-8_2015-06-03_02	Southwest (side) elevation, view northeast
		AA-2510-8_2015-06-03_03	West courtyard, view southeast
AA-2510-9	9827	AA-2510-9_2015-06-03_01	Façade (southwest elevation), view north
		AA-2510-9_2015-06-03_02	Façade (southwest elevation), view

National Security Agency (NSA)
 EIS for the East Campus Integration Program at Fort Meade, MD
 Anne Arundel County
 All photos taken by NSA, June/October 2015

			northeast
		AA-2510-9_2015-06-03_03	Façade (southwest elevation), view southeast
		AA-2510-9_2015-06-03_04	Northwest corner, view southeast
AA-2510-10	9805	AA-2510-10_2015-06-03_01	Façade (north elevation), view south
		AA-2510-10_2015-06-03_02	West (side) elevation, view east
		AA-2510-10_2015-06-03_03	East (side) elevation, view northwest
		AA-2510-10_2015-06-03_04	South (rear) elevation, view northeast
AA-2510-11	9804	AA-2510-11_2015-06-03_01	Southwest corner, view north
		AA-2510-11_2015-06-03_02	Courtyard, view north
		AA-2510-11_2015-06-03_03	Courtyard, view northeast
		AA-2510-11_2015-06-03_04	East (side) elevation, view northwest
		AA-2510-11_2015-06-03_05	East (side) elevation, view west
AA-2510-12	9803	AA-2510-12_2015-06-03_01	Façade (north elevation), view south
		AA-2510-12_2015-06-03_02	Northeast corner, view southwest
		AA-2510-12_2015-06-03_03	East (side) elevation, view west
AA-2510-13	9802	AA-2510-13_2015-06-03_01	Façade (north elevation), view south
		AA-2510-13_2015-06-03_02	Southeast corner, view north
AA-2510-14	9801	AA-2510-14_2015-06-03_01	Façade (north elevation), view south
		AA-2510-14_2015-06-03_02	Northwest corner, view southeast
		AA-2510-14_2015-06-03_03	West (side) elevation, view east
		AA-2510-14_2015-06-03_04	Southwest corner, view north
		AA-2510-14_2015-06-03_05	Southeast corner, view northwest
AA-2510-15	9800A	AA-2510-15_2015-06-03_01	Façade (west elevation), view northeast
		AA-2510-15_2015-06-03_02	Façade (west elevation), view southeast
		AA-2510-15_2015-06-03_03	Gatehouse (9821), façade (west elevation), view east
AA-2510-16	9800C/D	AA-2510-16_2015-10-13_01	South elevation, view north
		AA-2510-16_2015-10-13_02	Southeast corner, view northwest
		AA-2510-16_2015-10-13_03	Southeast corner, view north northwest
		AA-2510-16_2015-10-13_04	Northeast corner, view southwest
		AA-2510-16_2015-10-13_05	North elevation, view south
AA-34-5	9810	AA-34-5_2015-06-03_01	Façade (south elevation), view northwest
		AA-34-5_2015-06-03_02	Façade (south elevation), view northwest
		AA-34-5_2015-06-03_03	Façade (south elevation), view northeast
		AA-34-5_2015-06-03_04	East (side) elevation, view northwest
		AA-34-5_2015-06-03_05	North (rear) elevation, view southwest

Photos printed using HP Premium Plus Glossy Photo Paper and HP Vivera Ink 38.



AA-2510-9

NSA, Building 9827

Anne Arundel County, Maryland

NSA

June 3, 2015

MD SHPO

Facade (southwest elevation), view north

1/4



McNEILL HALL
USAF ENLISTED QUARTERS

IN MEMORY OF SERGEANT CLARENCE L. McNEILL
US AIR FORCE REGENCY SERVICE
KILLED IN ACTION, REPUBLIC OF VIETNAM, 11 FEB 1968

McNEILL HALL

WING DORMITORY

AA-2510-9
NSA, Building 9827
Anne Arundel County, Maryland
NSA

June 3, 2015

MO SHPO

Facade (southwest elevation), view northeast

2/4



McNELL HALL

WING DORMITORY

AA-2510-9

NSA, Building 9827

Anne Arundel County, Maryland

NSA

June 3, 2015

MO SHPO

Facade (southwest elevation), view southeast

3/4



NEILL HALL

9027

AA-2510-9

NSA, Building 9827

Anne Arundel County, Maryland

NSA

June 3, 2015

MD SHPO

Northwest corner, view southeast

4/4