

Maryland Historical Trust

Maryland Inventory of Historic Properties number: BA-2700.

Name: B0425/Warren Rd. over Trib of Beaver Dam Run.

The bridge referenced herein was inventoried by the Maryland State Highway Administration as part of the Historic Bridge Inventory, and SHA provided the Trust with eligibility determinations in February 2001. The Trust accepted the Historic Bridge Inventory on April 3, 2001. The bridge received the following determination of eligibility.

MARYLAND HISTORICAL TRUST	
Eligibility Recommended <input checked="" type="checkbox"/>	Eligibility Not Recommended <input type="checkbox"/>
Criteria: <input type="checkbox"/> A <input type="checkbox"/> B <input type="checkbox"/> C <input type="checkbox"/> D	Considerations: <input type="checkbox"/> A <input type="checkbox"/> B <input type="checkbox"/> C <input type="checkbox"/> D <input type="checkbox"/> E <input type="checkbox"/> F <input type="checkbox"/> G <input type="checkbox"/> None
Comments: _____ _____	
Reviewer, OPS: <u>Anne E. Bruder</u>	Date: <u>3 April 2001</u>
Reviewer, NR Program: <u>Peter E. Kurtze</u>	Date: <u>3 April 2001</u>

MARYLAND INVENTORY OF HISTORIC BRIDGES
HISTORIC BRIDGE INVENTORY
MARYLAND STATE HIGHWAY ADMINISTRATION/
MARYLAND HISTORICAL TRUST

MHT No. BA-2700

SHA Bridge No. B 0425 Bridge name Warren Road over Tributary of Beaver Dam Run

LOCATION:

Street/Road name and number [facility carried] Warren Road

City/town Cockeysville Vicinity X

County Baltimore

This bridge projects over: Road Railway Water Land

Ownership: State County Municipal Other

HISTORIC STATUS:

Is bridge located within a designated historic district? Yes No
National Register-listed district National Register-determined-eligible district
Locally-designated district Other

Name of district _____

BRIDGE TYPE:

Timber Bridge _____:
Beam Bridge _____ Truss -Covered _____ Trestle _____ Timber-And-Concrete _____

Stone Arch Bridge _____

Metal Truss Bridge _____

Movable Bridge _____:
Swing _____ Bascule Single Leaf _____ Bascule Multiple Leaf _____
Vertical Lift _____ Retractable _____ Pontoon _____

Metal Girder _____:
Rolled Girder _____ Rolled Girder Concrete Encased _____
Plate Girder _____ Plate Girder Concrete Encased _____

Metal Suspension _____

Metal Arch _____

Metal Cantilever _____

Concrete :
Concrete Arch _____ Concrete Slab Concrete Beam _____ Rigid Frame _____
Other _____ Type Name _____

DESCRIPTION:

Setting: Urban _____ Small town X Rural _____

Describe Setting: Bridge B0425 carries Warren Road over a tributary of Beaver Dam Run. The bridge is in a developed rural area with several houses visible from the bridge and residential property around the bridge .

Describe Superstructure And Substructure:

Bridge B0425 is a single span concrete slab bridge built on stone abutments with stone wingwalls. The parapets are solid concrete and integral with the deck. The length of the span is 19.5 feet and total length of the structure is 25 feet. The curb to curb width is 22.0 feet and the deck out to out width is 24.7 feet. The bridge was built in 1924. The bridge is posted for restricted loads.

The stone walls are 2 feet high from the ground to the deck. They act as parapets and abut the concrete parapets. The stone walls are 1'-1" lower than the concrete bridge parapets. The 1993 inspection report described the bridge in fair condition. The south edge of the slab is spalled up to 6 inches deep along its entire length, exposing reinforcement that exhibits approximately 50% loss. Both abutments and all of the wingwalls have deteriorated mortar joints. The top portion of the N/W wingwall has fallen off at the deck joint.

Discuss Major Alterations:

Baltimore County files do not indicate that any major alterations have occurred.

HISTORY:

WHEN was bridge built (actual date or date range) 1924

This date is: Actual Estimated X

Source of date: Plaque Design plans County bridge files/inspection form X

Other (specify) _____

WHY was the bridge built?

The need for a more efficient transportation network and increased load capacity in the decades following World War I.

WHO was the designer?

State Highway Administration

WHO was the builder?

Unknown

WHY was the bridge altered?

N/A

Was this bridge built as part of an organized bridge-building campaign?

As part of an effort by the State to increase load capacity on secondary roads during the 1920s.

SURVEYOR/HISTORIAN ANALYSIS:

This bridge may have National Register significance for its association with:

A - Events _____ B- Person _____

C- Engineering/architectural character _____

Was the bridge constructed in response to significant events in Maryland or local history?

Reinforced concrete slab bridges are a twentieth century structure type, easily adapted to the need for expedient engineering solutions. Reinforced concrete technology developed rapidly in the early twentieth century with early recognition of the potential for standardized design. The first U.S. attempt to standardize concrete design specifications came in 1903-04 with the formation of the Joint Committee on Concrete and Reinforced Concrete of the American Society of Civil Engineers.

Maryland's road and bridge improvement programs mirrored economic cycles. The first road improvement program of the State Roads Commission was a 7 year program, starting with the Commission's establishment in 1908 and ending in 1915. Due to World War I, the period from 1916-1920 was one of relative inactivity; only roads of first priority were built. Truck traffic resulting from war-related factories and military installations generated new, heavy traffic unanticipated by the builders of the early road system. From 1920 to 1929, numerous highway improvements occurred in response to the increase in Maryland motor vehicles from 103,000 in 1920 to 320,000 in 1929, with emphasis on the secondary system of feeder roads which moved traffic from the primary roads built before World War I. After World War I, Maryland's bridge system also was appraised as too narrow and structurally inadequate for the increasing traffic, with plans for an expanded bridge program to be handled by the Bridge Division, set up in 1920. In 1920 under Chapter 508 of the Acts of 1920 the State issued a bond of \$3,000,000.00 for road construction; the primary purpose of these monies was to meet the state obligations involving the construction of rural post roads. The secondary purpose of these monies was to fund [with an equal sum from the counties] the building of lateral roads. The number of hard surfaced roads on the state system grew from 2000 in 1920 to 3200 in 1930. By 1930, Maryland's primary system had become inadequate to the huge freight trucks and volume of passenger cars in use, with major improvements occurring in the late 1930s. Most improvements to local roads waited until the years after World War II.

With a diverse topographical domain encompassing numerous small and large crossings, Maryland engineers quickly recognized the need for expedient design and construction.

In the early years, there was a need to replace the numerous single lane timber bridges. Walter Wilson Crosby, Chief Engineer stated in 1906, "The general plan has been to replace these [wood bridges] with pipe culverts or concrete bridges and thus forever do way with the further expense of the maintenance of expensive and dangerous wooden structures". Within a few years, readily constructed standardized bridges of concrete were being built throughout the state.

The creation of standard plans and a description of their use was first announced in the 1912-15 Reports of the State Roads Commission whereby bridges spanning up to 36 feet were to use standardized designs.

Published on a single sheet, the 1912 Standard Plans included those structures that were amenable to such an approach: slab spans, (deck) girder spans, box culverts, box bridges, abutments, and piers (State Roads Commission 1912). Slab spans, with lengths of 6 to 16 feet in two foot increments, featured a solid parapet that was integrated into the slab, with a roadway of 22 feet.

In the Report for the years 1916-1919, a revision of the standard plans was noted:


During the four years covered by this report, it has been found necessary to revise our standard plans for culverts and bridges, to take care of the increased tonnage which they have been forced to carry. Army cantonments...increased their operations several hundred per cent, and the brunt of the enormous truck traffic resulting therefrom, was borne by the

BA-2700

SURVEYOR:

Date bridge recorded 08/15/95
Name of surveyor Colin Farr
Organization/Address P.A.C. Spero & Company, Suite 412, 40 West Chesapeake Ave., Baltimore,
MD 21204
Phone number (410) 296-1635 FAX number (410) 296-1670

Maryland Historic Highway Bridges
 Bridge Type **CONCRETE SLAB**
 Map **COCKEYSVILLE, B12**
 County **BALTIMORE**
 Bridge # and Name **B0425 WARREN ROAD OVER TRIBUTARY OF BEAVER DAM RUN**
 BA-2700





Inventory # BA 2700

Name 00425-WARREN RD OVER A TRIBUTARY
OF BEAVER DAM RUN

County/State BALTIMORE COUNTY/MD

Name of Photographer DAVE DIEHL

Date 1/95

Location of Negative SHA

Description EAST APPROACH LOOKING
WEST

Number 1 of 34



Inventory # BA 2700

~~Box 15~~ - WARREN RD OVER A TRIBUTARY
Name OF BEAVER DAM RUN

County/State BALTIMORE COUNTY/MD

Name of Photographer DAVE DIEHL

Date 1/95

Location of Negative SWA

Description NORTH ELEVATION LOOKING
SOUTH

Number 2 of 4



Inventory # BA 2700

00425 - WARREN RD OVER A TRIBUTARY OF

Name BEAVER DAM RUN

County/State BALTIMORE COUNTY / MD

Name of Photographer DAVE DIEHL

Date 1/95

Location of Negative SHA

Description SOUTH ELEVATION LOOKING
NORTHEAST

Number 3 of 35 4



Inventory # BA 2700

BOULDS - WARREN RD OVER A TRIBUTARY OF
Name BEAVER DAM RUN

County/State BALTIMORE COUNTY / MD

Name of Photographer DAVE DIEHL

Date 1/05

Location of Negative SHA

Description WEST APPROACH LOOKING
EAST

Number 4 of 35