

CARR-580

Taylorsville M. E. Church
Ridge Road (Rt. 27)

1878

The first Taylorsville M.E. Church was built in 1850. In 1878 William H. Barnes deeded two acres to the trustees of the church, as a place of Divine worship for the use of the ministry & membership of the Methodist Episcopal Church. Abel Miller, William Miller, Martin Devilbiss, and a Mr. Summerfield contracted to build the church for \$120, and the church agreed to supply materials and haul them. The church was dedicated on 3 November 1878. The need for additional room drove the church in 1914 to hire Truman Lowman to jack the church up five feet and excavate the cellar in order to build the fellowship hall. The addition on the rear was added in 1952-53. The original parsonage survives at 4315 Ridge Road, but is no longer owned by the church. While not exactly rare, the use of the central entrance tower is not very common for Carroll County churches, especially outside of larger towns.

Maryland Historical Trust State Historic Sites Inventory Form

1. Name (indicate preferred name)

historic Taylorsville M. E. Church

and/or common Taylorsville U. M. Church

2. Location

street & number Ridge Road (Rte. 27) not for publication

city, town Taylorsville vicinity of congressional district

state Maryland county Carroll

3. Classification

Category	Ownership	Status	Present Use	
<input type="checkbox"/> district	<input type="checkbox"/> public	<input checked="" type="checkbox"/> occupied	<input type="checkbox"/> agriculture	<input type="checkbox"/> museum
<input checked="" type="checkbox"/> building(s)	<input checked="" type="checkbox"/> private	<input type="checkbox"/> unoccupied	<input type="checkbox"/> commercial	<input type="checkbox"/> park
<input type="checkbox"/> structure	<input type="checkbox"/> both	<input type="checkbox"/> work in progress	<input type="checkbox"/> educational	<input type="checkbox"/> private residence
<input type="checkbox"/> site	Public Acquisition	Accessible	<input type="checkbox"/> entertainment	<input checked="" type="checkbox"/> religious
<input type="checkbox"/> object	<input type="checkbox"/> in process	<input checked="" type="checkbox"/> yes: restricted	<input type="checkbox"/> government	<input type="checkbox"/> scientific
	<input type="checkbox"/> being considered	<input type="checkbox"/> yes: unrestricted	<input type="checkbox"/> industrial	<input type="checkbox"/> transportation
	<input checked="" type="checkbox"/> not applicable	<input type="checkbox"/> no	<input type="checkbox"/> military	<input type="checkbox"/> other:

4. Owner of Property (give names and mailing addresses of all owners)

name Trustees of Taylorsville Church

street & number 4360 Ridge Road telephone no.: 857-4101

city, town Mt. Airy state and zip code MD 21771

5. Location of Legal Description

courthouse, registry of deeds, etc. Courthouse Annex liber 50

street & number 55 North Court Street folio 160

city, town Westminster state MD

6. Representation in Existing Historical Surveys

title _____

date _____ federal state county local

repository for survey records _____

city, town _____ state _____

7. Description

Survey No. CARR-580

Condition		Check one	Check one	
<input checked="" type="checkbox"/> excellent	<input type="checkbox"/> deteriorated	<input type="checkbox"/> unaltered	<input checked="" type="checkbox"/> original site	
<input type="checkbox"/> good	<input type="checkbox"/> ruins	<input checked="" type="checkbox"/> altered	<input type="checkbox"/> moved	date of move _____
<input type="checkbox"/> fair	<input type="checkbox"/> unexposed			

Prepare both a summary paragraph and a general description of the resource and its various elements as it exists today.

Summary: The Taylorsville M.E. Church is located on the west side of Ridge Road (Route 27) about 1/8 mile south of Liberty Road in southwest Carroll County. The church is a one-story, four-bay by three-bay rectangular structure with a rubble stone foundation with quoining, aluminum siding, and asphalt shingle gable roof with northwest-southeast running ridge, and a projecting bell tower on the southeast. The central tower has a pair of six panel doors with a new semi-circular transom above. Above the door is a gabled hood supported on each side by a large bracket. The tower has a hipped roof the same height as the sanctuary roof, and integral with it. The hipped roof is topped by a bell cote that has a hipped roof. On either side of the tower a segmentally-arched stained-glass window. The southwest elevation has four square-headed stained-glass windows that are otherwise identical to those on the southeast, but have stained-glass in the spandrels. The northwest elevation has a new addition built in 1952. The altar and pulpit are on the northwest end, set on a raised dais and surrounded by an altar rail on three sides. The northwest wall has a recessed alcove. There is a cemetery on the southwest and northwest sides of the church.

The Taylorsville M.E. Church is located on the west side of Ridge Road (Route 27) about 1/8 mile south of Liberty Road in southwest Carroll County. The church is a one-story, four-bay by three-bay rectangular structure with a rubble stone foundation with quoining, aluminum siding, and asphalt shingle gable roof with northwest-southeast running ridge, and a projecting bell tower on the southeast. The central tower has a pair of six panel doors with a new semi-circular transom above. Above the door is a gabled hood supported on each side by a large bracket with pendant drop, and with a drop in the center, from the ridge. Old photographs show an oculus in the tower, above the hood. The tower has a hipped roof the same height as the sanctuary roof, and integral with it. The hipped roof is topped by a bell cote that formerly was open but is now covered with aluminum siding and aluminum vents. The bell cote has a hipped roof. On either side of the tower is a 1/1 sash in the cellar and a segmentally-arched stained-glass window above. The stained glass has a blue outer margin, a brown inner margin, an amber field, a circular figural medallion just above the center, and a memorial tablet at the bottom. Both the northeast and southwest elevations of the tower have a similar semi-circular stained-glass window. There is a boxed cornice with returns.

The southwest elevation has four square-headed stained glass windows that are otherwise identical to those on the southeast, but have stained glass in the spandrels. In the cellar there are four openings, three with a 1/1 sash in the cellar, and a two light sash over a vent in the north bay. The stained glass above matches the southwest windows. The northwest elevation has a new addition built in 1952, attached below the height of the cornice returns, with nothing above it. There is an exterior brick chimney north of center.

8. Significance

Survey No. CARR-580

Period	Areas of Significance—Check and justify below			
<input type="checkbox"/> prehistoric	<input type="checkbox"/> archeology-prehistoric	<input type="checkbox"/> community planning	<input type="checkbox"/> landscape architecture	<input checked="" type="checkbox"/> religion
<input type="checkbox"/> 1400-1499	<input type="checkbox"/> archeology-historic	<input type="checkbox"/> conservation	<input type="checkbox"/> law	<input type="checkbox"/> science
<input type="checkbox"/> 1500-1599	<input type="checkbox"/> agriculture	<input type="checkbox"/> economics	<input type="checkbox"/> literature	<input type="checkbox"/> sculpture
<input type="checkbox"/> 1600-1699	<input checked="" type="checkbox"/> architecture	<input type="checkbox"/> education	<input type="checkbox"/> military	<input type="checkbox"/> social/
<input type="checkbox"/> 1700-1799	<input type="checkbox"/> art	<input type="checkbox"/> engineering	<input type="checkbox"/> music	<input type="checkbox"/> humanitarian
<input checked="" type="checkbox"/> 1800-1899	<input type="checkbox"/> commerce	<input type="checkbox"/> exploration/settlement	<input type="checkbox"/> philosophy	<input type="checkbox"/> theater
<input type="checkbox"/> 1900-	<input type="checkbox"/> communications	<input type="checkbox"/> industry	<input type="checkbox"/> politics/government	<input type="checkbox"/> transportation
		<input type="checkbox"/> invention		<input type="checkbox"/> other (specify)

Specific dates 1878 **Builder/Architect** Abel & William Miller, Martin Devilbiss, Mr. Summerfield

check: Applicable Criteria: A B C D
and/or
Applicable Exception: A B C D E F G

Level of Significance: national state local

Prepare both a summary paragraph of significance and a general statement of history and support.

Summary: The first Taylorsville M.E. Church was built in 1850. In 1878 William H. Barnes deeded two acres to the trustees of the church, as a place of Divine worship for the use of the ministry & membership of the Methodist Episcopal Church. Abel Miller, William Miller, Martin Devilbiss, and a Mr. Summerfield contracted to build the church for \$120, and the church agreed to supply materials and haul them. The church was dedicated on 3 November 1878. The need for additional room drove the church in 1914 to hire Truman Lowman to jack the church up five feet and excavate the cellar in order to build the fellowship hall. The addition on the rear was added in 1952-53. The original parsonage survives at 4315 Ridge Road, but is no longer owned by the church. While not exactly rare, the use of the central entrance tower is not very common for Carroll County churches, especially outside of larger towns.

Geographic Organization: Piedmont
 Chronological/Development Period: Industrial-Urban Dominance A.D. 1870-1930
 Historic Period Themes: Architecture, Religion
 Resource Types: Church, Rural Vernacular

The first Taylorsville M.E. Church was built in 1850. In 1878 William H. Barnes deeded two acres to the trustees of the church.

In trust that said premises shall be used, kept, maintained and disposed of as a place of Divine worship for the use of the ministry & membership of the Methodist Episcopal Church in the United States of America; subject to the Discipline, usage, & ministerial appointments of said church as from time to time authorized & declared by the General Conference of said church & the Annual Conference within whose bounds the said premises are situate.

Abel Miller, William Miller, Martin Devilbiss, and a Mr. Summerfield contracted to build the church for \$120, and the church agreed to supply materials and haul them. Mr. Alexander of Unionville and Dr. F.J. Crawford donated the timber, and six teams were used for hauling. The church was dedicated on 3 November 1878.

9. Major Bibliographical References

Survey No. CARR-580

Carroll County Land Records
Scharf, History of Western Maryland, p. 894
Democratic Advocate, 9 November 1878, p. 3, c. 3
Taylorsville U. M. Church Centennial Celebration, 1978
"The History of Taylorsville M. E. Church, C. Ray Barnes, 1938"

10. Geographical Data

Acreage of nominated property 2 a.Quadrangle name WinfieldQuadrangle scale 1:24000

UTM References do NOT complete UTM references

A

--	--	--	--	--	--	--	--	--	--	--	--

Zone Easting Northing

B

--	--	--	--	--	--	--	--	--	--	--	--

Zone Easting Northing

C

--	--	--	--	--	--	--	--	--	--	--	--

D

--	--	--	--	--	--	--	--	--	--	--	--

E

--	--	--	--	--	--	--	--	--	--	--	--

F

--	--	--	--	--	--	--	--	--	--	--	--

G

--	--	--	--	--	--	--	--	--	--	--	--

H

--	--	--	--	--	--	--	--	--	--	--	--

Verbal boundary description and justification

List all states and counties for properties overlapping state or county boundaries

state	code	county	code

11. Form Prepared By

name/title Kenneth M. Short, Historic Planner

organization Carroll County Planning Department date July 13, 1993

street & number 225 North Center Street telephone (410) 857-2145

city or town Westminster state MD

The Maryland Historic Sites Inventory was officially created by an Act of the Maryland Legislature to be found in the Annotated Code of Maryland, Article 41, Section 181 KA, 1974 supplement.

The survey and inventory are being prepared for information and record purposes only and do not constitute any infringement of individual property rights.

return to: Maryland Historical Trust
Shaw House
21 State Circle
Annapolis, Maryland 21401
(301) 269-2438

Description (continued)

Section 7 Page 2

The central tower has a landing with eight central steps up to the sanctuary, and five steps down on either side to the fellowship hall. The newel posts are chamfered and have a small bulls-eye medallion on each face, and an urn on top. The balusters are turned. A beaded-edge vertical board wainscot of naturally varnished pine or fir covers the bottom half of the tower walls. Above this, rails and stiles are applied to flat wood, and have narrow ogee panel moulds. The door architrave has a beaded interior edge and a cavetto applied to the outer edge. At the top of the stairs are double doors with six lying panels each, and a cavetto surround. These open into the sanctuary.

The sanctuary has a drop ceiling and pine flooring that runs northwest-southeast. The altar and pulpit are on the northwest end, set on a raised dais and surrounded by an altar rail on three sides. The turned balusters are rather bulbous. The northwest wall has a recessed alcove, flanked by two new six-panel doors, and has varnished oak half-paneling that has flat panels. There is a Gothic Revival altar flanked on each side by an upholstered oak arm chair. The pews are not attached to the floor, and are arranged in three columns, with two aisles. They are oak, and have an applied foliate carving on the ends, at the top of the pew and at the hand rest. The stained glass windows have a cavetto surround.

There is a cemetery on the southwest and northwest sides of the church that is enclosed by brick piers set about eight to ten feet apart, on center, with two horizontal rails of steel pipe between each set of piers. The parsonage is a brick rancher northeast of the church.

**MARYLAND HISTORICAL TRUST
STATE HISTORIC SITES INVENTORY FORM**


Survey No. CARR-580

Significance (continued)

Section 8 Page 2

The need for additional room drove the church in 1914 to hire Truman Lowman to jack the church up five feet and excavate the cellar in order to build the fellowship hall. The addition on the rear was added in 1952-53, and the work was again done by Truman Lowman. The cost of this work, plus painting and carpeting the aisles of the church was \$13,000. Aluminum siding was put on the church in 1974 and the carpeting and roof were replaced in 1978. The cemetery was divided into sixteen square foot lots, each lot intended to hold eight graves. The fence, which cost over \$500, was installed before 1938. The original parsonage survives at 4315 Ridge Road, but is no longer owned by the church. Despite several changes to the church, it retains a good deal of historic integrity. While not exactly rare, the use of the central entrance tower is not very common for Carroll County churches, especially outside of larger towns.

KS/lh:6-17-93:CARR580.sig




CARR-580
Taylorsville M. E. Church
Ridge Road (Rte. 27)

Martenet Map, 1862

FRANKLIN

DISTRICT NO 9
Scale 1 1/2 inch to the Mile




HAMPSTEAD

HAMPSTEAD DIST.
Scale 40 Rods to an Inch

HAMPSTEAD BUSINESS REFERENCES
John W. Alden, Treasurer and Cashier

CARR-580
Taylorsville M. E. Church
Ridge Road (Rte. 27)

La're, Griffin, & Stevenson Atlas, 1877



CARR-580
Taylorsville M.E. Church
Ridge Road (Rte. 27)

Winfield quad



Taylorville m.E. Church
Ridge Road
Carroll County, Maryland

Photo: Kenneth M. Short
Date: March 1993

Neg. loc.: Maryland Historical Trust
Southeast: northeast elevations

1/2



Taylorville m.e. Church
Ridge Road
Carroll County, Maryland

Photo: Kenneth M. Short

Date: March 1993

Neg. Loc.: Maryland Historical Trust
interior - view west

2/2