

UNITED STATES DEPARTMENT OF THE INTERIOR
NATIONAL PARK SERVICE

FOR NPS USE ONLY

RECEIVED

Laurel - 4

DATE ENTERED

**NATIONAL REGISTER OF HISTORIC PLACES
INVENTORY -- NOMINATION FORM**

SEE INSTRUCTIONS IN HOW TO COMPLETE NATIONAL REGISTER FORMS
TYPE ALL ENTRIES -- COMPLETE APPLICABLE SECTIONS

1 NAME

HISTORIC

AVONDALE MILL; CRABB'S MILL

AND/OR COMMON

Avondale Mill (preferred)

*Bound
12/19/91*

2 LOCATION

STREET & NUMBER

21 Avondale Street

NOT FOR PUBLICATION

CITY, TOWN

Laurel

VICINITY OF

CONGRESSIONAL DISTRICT

STATE

Maryland

CODE

24

COUNTY

Prince George's

CODE

033

3 CLASSIFICATION

CATEGORY	OWNERSHIP	STATUS	PRESENT USE
<input type="checkbox"/> DISTRICT	<input checked="" type="checkbox"/> PUBLIC	<input type="checkbox"/> OCCUPIED	<input type="checkbox"/> AGRICULTURE
<input checked="" type="checkbox"/> BUILDING(S)	<input type="checkbox"/> PRIVATE	<input checked="" type="checkbox"/> UNOCCUPIED	<input type="checkbox"/> MUSEUM
<input type="checkbox"/> STRUCTURE	<input type="checkbox"/> BOTH	<input type="checkbox"/> WORK IN PROGRESS	<input type="checkbox"/> COMMERCIAL
<input type="checkbox"/> SITE	PUBLIC ACQUISITION	ACCESSIBLE	<input checked="" type="checkbox"/> PARK
<input type="checkbox"/> OBJECT	<input type="checkbox"/> IN PROCESS	<input checked="" type="checkbox"/> YES RESTRICTED	<input type="checkbox"/> EDUCATIONAL
	<input type="checkbox"/> BEING CONSIDERED	<input type="checkbox"/> YES UNRESTRICTED	<input type="checkbox"/> ENTERTAINMENT
		<input type="checkbox"/> NO	<input type="checkbox"/> PRIVATE RESIDENCE
			<input type="checkbox"/> RELIGIOUS
			<input type="checkbox"/> GOVERNMENT
			<input type="checkbox"/> SCIENTIFIC
			<input type="checkbox"/> INDUSTRIAL
			<input type="checkbox"/> TRANSPORTATION
			<input type="checkbox"/> MILITARY
			<input type="checkbox"/> OTHER

4 OWNER OF PROPERTY

NAME

Mayor and City Council of Laurel

STREET & NUMBER

350 Municipal Square

CITY, TOWN

Laurel

VICINITY OF

STATE

Maryland 20810

5 LOCATION OF LEGAL DESCRIPTION

COURTHOUSE,

REGISTRY OF DEEDS, ETC Land Records Division Prince George's County Clerk

STREET & NUMBER

Prince George's County Courthouse (Copy of Deed Attached)

CITY, TOWN

Upper Marlboro

STATE

Maryland 20870

6 REPRESENTATION IN EXISTING SURVEYS

TITLE

DATE

FEDERAL STATE COUNTY LOCAL

DEPOSITORY FOR
SURVEY RECORDS

CITY, TOWN

STATE

7 DESCRIPTION

PG: LAU-4

CONDITION		CHECK ONE	CHECK ONE
<input type="checkbox"/> EXCELLENT	<input checked="" type="checkbox"/> DETERIORATED	<input type="checkbox"/> UNALTERED	<input checked="" type="checkbox"/> ORIGINAL SITE
<input type="checkbox"/> GOOD	<input type="checkbox"/> RUINS	<input checked="" type="checkbox"/> ALTERED	<input type="checkbox"/> MOVED DATE _____
<input type="checkbox"/> FAIR	<input type="checkbox"/> UNEXPOSED		

DESCRIBE THE PRESENT AND ORIGINAL (IF KNOWN) PHYSICAL APPEARANCE

The Avondale Mill is located on the south bank of the Patuxent River at the end of Avondale Street in the City of Laurel. The stone grist mill was built in 1845; two steel-framed additions have been added in the mid-20th century, covering the south end and part of the west side of the original mill.

The stone mill structure measures approximately 46-1/2 feet by 95-1/2 feet. It is three stories high, ten bays long, and three bays wide with a gable roof. The ridge extends approximately north-south. The walls are uncoursed rubble with roughly worked granite quoins. The windows have six-over-six light sash with granite lintels. The eaves are finished with a simple boxed cornice.

SOUTH FACADE

The gable end was the original front of the mill. The central bay has a door at grade on the second level, and there is a window in each flanking bay. There are three windows in the third story and a single window in the gable end in the attic. A cement ramp bridges the change in elevation from the grade to the front door. The first story of this facade is covered by a 20th century addition.

This side is ten bays long with a short expanse of blank wall at either end. There are ten windows on the third floor and nine on the second. The four southernmost bays on the second floor have artificial six-over-six sash; the rest of the windows on the top two floors have double-hung sash. In the sixth bay from the south on the second floor is a narrow four-panel door in an opening, with stone lintel, that is lower than the flanking windows. The threshold of the door rests on the lintel of the sixth bay below. The first floor has a plain wood door in the southernmost bay. The second, third, and fourth bays contain windows now closed with concrete block. A garage door spans the fifth and sixth bays with concrete block supports, steel lintels, and brick infill above. Two granite lintels still appear in the wall above the garage door, indicating the former existence of windows in the fifth and sixth bays. Four large louvered panels have replaced window sash, in the north four bays.

NORTH END OR RIVER FACADE

This end is three bays wide and is stone on the first two stories and brick above. The first floor has louvered panels in each window opening; the easternmost opening is only half as tall as the other two. These openings have granite lintels. The second floor has windows in the central and west bays. A nine-light window in the east bay fills the top of a former doorway, which is filled in with stone below. All three windows have granite lintels. The third floor wall is brick, but the granite quoins at the corners are continued. The east bay contains a four-light window in what was originally a larger opening; the space below the sash has been filled in with stone. The other two windows on this story have flat brick arches. There is a single window in the gable.

SEE CONTINUATION SHEET #1.

UNITED STATES DEPARTMENT OF THE INTERIOR
NATIONAL PARK SERVICENATIONAL REGISTER OF HISTORIC PLACES
INVENTORY -- NOMINATION FORMAvondale Mill
Prince George's County

CONTINUATION SHEET Maryland

ITEM NUMBER

7

PAGE

1

(DESCRIPTION, continued)

WEST FACADE

This side of the building is also twelve bays long. On the first floor all original windows have been removed. The northernmost six bays have louvered panels in place of the original windows. The fifth bay from the south now serves as a door from grade into the first floor. The four southernmost bays have been closed with concrete block. The second and third floors contain the original six-over-six light, double-hung sash windows.

INTERIOR

Wood beams eight feet on center, measuring 10 inches by 15 inches, span east-west to delineate each bay. On the first story they are supported at mid-span by chamfered square wood columns with flat impost blocks. On the second story (the principal story accessible from the front entrance in the south end), tapered round wood columns of the Doric order support the beams at mid-span. There are no columns on the third story where the beams are the bottom chords of king post trusses. Wood planks three inches thick and 8 to 12 inches wide spanning the beams are finished on the underside in the second or principal story with random-width beaded boards. Walls are plastered directly on the stone, and the splayed window jambs are finished with plaster, devoid of wood trim. The second story is divided into a central corridor and several small rooms by walls of 20th century stud construction. Under the northern two bays of the first story is a subcellar nearly filled with water. Now full with water, its function is not clear, but it was probably related to the original power system, quite likely the location of turbines. No milling machinery or power apparatus remains.

ADDITIONS

The two additions to the mill building, made in the 1930s, were constructed of timber and steel. Walls are industrial metal-framed windows. The additions were made without altering the fabric of the stone mill and could be removed leaving the mill as it was.

PERIOD	AREAS OF SIGNIFICANCE -- CHECK AND JUSTIFY BELOW			
<input type="checkbox"/> PREHISTORIC	<input type="checkbox"/> ARCHEOLOGY-PREHISTORIC	<input type="checkbox"/> COMMUNITY PLANNING	<input type="checkbox"/> LANDSCAPE ARCHITECTURE	<input type="checkbox"/> RELIGION
400-1499	<input type="checkbox"/> ARCHEOLOGY-HISTORIC	<input type="checkbox"/> CONSERVATION	<input type="checkbox"/> LAW	<input type="checkbox"/> SCIENCE
1500-1599	<input type="checkbox"/> AGRICULTURE	<input type="checkbox"/> ECONOMICS	<input type="checkbox"/> LITERATURE	<input type="checkbox"/> SCULPTURE
1600-1699	<input checked="" type="checkbox"/> ARCHITECTURE	<input type="checkbox"/> EDUCATION	<input type="checkbox"/> MILITARY	<input type="checkbox"/> SOCIAL/HUMANITARIAN
1700-1799	<input type="checkbox"/> ART	<input type="checkbox"/> ENGINEERING	<input type="checkbox"/> MUSIC	<input type="checkbox"/> THEATER
<input checked="" type="checkbox"/> 1800-1899	<input checked="" type="checkbox"/> COMMERCE	<input type="checkbox"/> EXPLORATION/SETTLEMENT	<input type="checkbox"/> PHILOSOPHY	<input type="checkbox"/> TRANSPORTATION
1900-	<input type="checkbox"/> COMMUNICATIONS	<input checked="" type="checkbox"/> INDUSTRY	<input type="checkbox"/> POLITICS/GOVERNMENT	<input type="checkbox"/> OTHER (SPECIFY)
		<input type="checkbox"/> INVENTION		

SPECIFIC DATES _____ BUILDER/ARCHITECT _____

STATEMENT OF SIGNIFICANCE

Avondale Mill, on the bank of the Patuxent River in the City of Laurel, was constructed in 1844-45. At that time it was provided with the machinery for the manufacture of fine cotton cloth, running 1500 spindles. It was converted to a grist mill ten years later.

Prince George's County has been throughout its history an agricultural rather than an industrial area. Most of the industrial activity was in the northeastern part of the County, that closest to Howard County, a well-known milling center. Laurel is located here, and in the mid-19th century it was a prosperous mill town with the largest population of any town in the County.

The Avondale Mill is the only mill structure of its size and fabric remaining in the Laurel vicinity. It is a link to the economic history of the City and a substantial structure capable of adaptive use. The Mayor, City Council, Greater Laurel Jaycees, and the Laurel Horizon Society are interested in and investigating the possibilities for restoration of the structure.

"Avondale" has connections with the Snowden family of Laurel. The home of Nicholas Snowden, Jr., who was killed in the Civil War in 1862, was called "Avondale", it continued to stand west of the B & O tracks about opposite present day Montgomery Wards. In its later days, this home and its surrounding grounds was the Avondale Military Grammar School. The Snowden family owned much of the property and mills in early Laurel history.

The 1861 and 1878 maps of Laurel show George Wheeler as owner of the Avondale Mill property. The 1894 Illustrated Laurel Directory contains a photograph of Avondale Mill with B.F. Crabbs, Owner and Proprietor. In the last quarter of the 19th century, it is referred to as "Crabbs Mill." B.F. Crabbs (1836-1906) is buried in Ivy Hill Cemetery.

The dam for the mill was located at the foot of Post Office Avenue. Gates could be cranked upward to permit the penned up water to rush from one side of the dam into a huge ditch or race that ran downhill paralleling Main Street to the waterwheel of the mill.

The Southern Embroidery Company used the mill as a lace factory from 1915 to 1917 and, among other items, turned out chevrons to be used on the uniforms of non-commissioned officers in World War I.

SEE CONTINUATION SHEET #2.

UNITED STATES DEPARTMENT OF THE INTERIOR
NATIONAL PARK SERVICE



**NATIONAL REGISTER OF HISTORIC PLACES
INVENTORY -- NOMINATION FORM**

Avondale Mill
Prince George's County

CONTINUATION SHEET Maryland . ITEM NUMBER 8 PAGE 2

(SIGNIFICANCE continued)

In 1961 the City of Laurel purchased the mill and riverside property of approximately 17 acres. The City Department of Parks and Recreation used it for indoor programs and storage and a picnic and playground area, but was recently forced to vacate the building due to its structural instability.

