

United States Department of the Interior
National Park Service

**NATIONAL REGISTER OF HISTORIC PLACES
REGISTRATION FORM**

This form is for use in nominating or requesting determinations for individual properties and districts. See instructions in How to Complete the National Register of Historic Places Registration Form (National Register Bulletin 16A). Complete each item by marking "x" in the appropriate box or by entering the information requested. If any item does not apply to the property being documented, enter "N/A" for "not applicable." For functions, architectural classification, materials, and areas of significance, enter only categories and subcategories from the instructions. Place additional entries and narrative items on continuation sheets (NPS Form 10-900a). Use a typewriter, word processor, or computer, to complete all items.

1. Name of Property

historic name St. Mark's Episcopal Church, Lappans

other names/site number WA-II-024


2. Location

street 18313 Lappans Road

not for publication n/a city or town Boonsboro vicinity x
state Maryland code MD county Washington code 043 zip code 21713

3. State/Federal Agency Certification

As the designated authority under the National Historic Preservation Act of 1986, as amended, I hereby certify that this x nomination request for determination of eligibility meets the documentation standards for registering properties in the National Register of Historic Places and meets the procedural and professional requirements set forth in 36 CFR Part 60. In my opinion, the property x meets does not meet the National Register Criteria. I recommend that this property be considered significant nationally statewide x locally. (See continuation sheet for additional comments.)



6-30-99

Signature of certifying official

Date

In my opinion, the property meets does not meet the National Register criteria. (See continuation sheet for additional comments.)

Signature of commenting or other official

Date

State or Federal agency and bureau

=====

6. Function or Use

=====

Historic Functions (Enter categories from instructions)

Cat: RELIGION Sub: religious structure

Current Functions (Enter categories from instructions)

Cat: RELIGION Sub: religious structure

=====

7. Description

=====

Architectural Classification (Enter categories from instructions)

MID-19TH CENTURY/Gothic Revival

Materials (Enter categories from instructions)

foundation LIMESTONE
roof WOOD
walls LIMESTONE
other WOOD

Narrative Description (Describe the historic and current condition of the property on one or more continuation sheets.)

=====

8. Statement of Significance

=====

Applicable National Register Criteria (Mark "x" in one or more boxes for the criteria qualifying the property for National Register listing)

- A Property is associated with events that have made a significant contribution to the broad patterns of our history.
- B Property is associated with the lives of persons significant in our past.
- C Property embodies the distinctive characteristics of a type, period, or method of construction or represents the work of a master, or possesses high artistic values, or represents a significant and distinguishable entity whose components lack individual distinction.
- D Property has yielded, or is likely to yield information important in prehistory or history.

Criteria Considerations (Mark "X" in all the boxes that apply.)

- A owned by a religious institution or used for religious purposes.
- B removed from its original location.
- C a birthplace or a grave.
- D a cemetery.
- E a reconstructed building, object, or structure.
- F a commemorative property.
- G less than 50 years of age or achieved significance within the past 50 years.

Areas of Significance (Enter categories from instructions)

ARCHITECTURE

Period of Significance 1849

Significant Dates 1849

Significant Person (Complete if Criterion B is marked above)

n/a

Cultural Affiliation n/a

Architect/Builder Upton Morin, builder

Narrative Statement of Significance (Explain the significance of the property on one or more continuation sheets.)

=====

9. Major Bibliographical References

=====

(Cite the books, articles, and other sources used in preparing this form on one or more continuation sheets.)

Previous documentation on file (NPS)

- preliminary determination of individual listing (36 CFR 67) has been requested.
- previously listed in the National Register
- previously determined eligible by the National Register
- designated a National Historic Landmark
- recorded by Historic American Buildings Survey # _____
- recorded by Historic American Engineering Record # _____

Primary Location of Additional Data

- State Historic Preservation Office
- Other State agency
- Federal agency
- Local government
- University
- Other

Name of repository: _____

=====

10. Geographical Data

=====

Acreage of Property 2 acres

USGS quadrangle Funkstown, MD

UTM References (Place additional UTM references on a continuation sheet)

	Zone	Easting	Northing	Zone	Easting	Northing
A	<u>18</u>	<u>265060</u>	<u>4381280</u>	C	_____	_____
B	___	_____	_____	D	_____	_____

___ See continuation sheet.

Verbal Boundary Description: Boundaries are defined by the stone masonry wall which encircles the historic churchyard. The north wall lies 9 feet south of the edge of the paved surface of Maryland Route 68.

Boundary Justification: The nominated property, 2 acres, encompasses the church within its historic setting. The adjacent Rectory is not included in this nomination because it was constructed outside the period of significance.

=====

11. Form Prepared By

=====

name/title Karl R. Sanford

organization _____ date October 1998

street & number 826 The Terrace telephone (301) 797-0525

city or town Hagerstown state MD zip code 21742

=====

Additional Documentation

=====

Submit the following items with the completed form:

Continuation Sheets

Maps

- A USGS map (7.5 or 15 minute series) indicating the property's location.
- A sketch map for historic districts and properties having large acreage or numerous resources.

Photographs

Representative black and white photographs of the property.

Additional items (Check with the SHPO or FPO for any additional items)

=====

Property Owner

=====

(Complete this item at the request of the SHPO or FPO.)

name _____

street & number _____ telephone _____

city or town _____ state _____ zip code _____

=====

Paperwork Reduction Act Statement: This information is being collected for applications to the National Register of Historic Places to nominate properties for listing or determine eligibility for listing, to list properties, and to amend existing listings. Response to this request is required to obtain a benefit in accordance with the National Historic Preservation Act, as amended (16 U.S.C. 470 et seq.).

Estimated Burden Statement: Public reporting burden for this form is estimated to average 18.1 hours per response including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding this burden estimate or any aspect of this form to the Chief, Administrative Services Division, National Park Service, P.O. Box 37127, Washington, DC 20013-7127; and the Office of Management and Budget, Paperwork Reductions Project (1024-0018), Washington, DC 20503.

United States Department of the Interior
National Park Service

**NATIONAL REGISTER OF HISTORIC PLACES
CONTINUATION SHEET**

Section 7 Page 7

WA-II-024
St. Mark's
Episcopal Church
Washington Co., MD

=====

Description Summary:

St. Mark's Episcopal Church is a Gothic Revival style stone building constructed in 1849. It is located on the south side of Maryland Route 68 about five miles south of Hagerstown in Washington County, Maryland. Rectangular in form, with a steeply-pitched gable roof, St. Mark's exemplifies a vernacular interpretation of the Gothic Revival style advocated by the Episcopal Church in the mid-nineteenth century. It is constructed of limestone, a material typically employed in superior buildings in the region during the period. The interior retains its early furnishings, and features an open ceiling with Gothic-arched framing. The resource retains a high degree of integrity, with the majority of its exterior and interior fabric and detailing intact. The church is situated within a picturesque churchyard encircled by a low stone wall.

United States Department of the Interior
National Park Service

**NATIONAL REGISTER OF HISTORIC PLACES
CONTINUATION SHEET**

Section 7 Page 8

WA-II-024
St. Mark's
Episcopal Church
Washington Co., MD

=====

General Description

St. Mark's Episcopal Church - Lappans is located on the south side of Maryland Rt. 68, three tenths of a mile east of the intersection of Maryland Rt. 65 (aka: the Sharpsburg Pike). The wooded two acre property gently elevates toward the south and is surrounded by a stone masonry wall and dominated by the native limestone church erected in the center of the enclosed area. The church is surrounded on its eastern, southern and western sides by a cemetery of 173 markers.

The original portion of the church is rectangular in shape measuring 50 feet (including chancel) in a north-south direction and 25 feet in the east-west direction. Walls are two feet thick and seventeen feet high from base to joice and constructed of rough-cut native limestone. More smoothly cut limestone corners give the impression of quoins on the north facade. Mortar joints, once raised, are now, for the most part, worn flush to the limestone. The pointed, Gothic Revival style roof-line is finished with fire retardant cedar shingles most recently replaced in 1996. Entrance to the church is made through a centrally located north-facing wood portico covered with a wood construction Gothic Revival roof of a pitch to match the main structure. The portico is supported by two limestone pilasters measuring 7' 2" in height, 2 feet in thickness and 4 feet in depth. The original wood door is attached to the jamb by two black iron HL hinges 2.5 inches in width and twelve inches in length. Two limestone steps and one concrete step in front of the portico provide access into the nave. A single stained glass window of equilateral triangle shape is located above the door as a stationary transom thus completing the Gothic or "pointed" style of the doorway. The east and west facades are pierced with similar Gothic Revival style windows, three on each side and located at equal intervals. Each window measures 30" in width by 7 feet, 1 inch in height from sill to top of point. Three stained-glass windows covered with protective plexiglass are inserted in east facades. The west facade windows include two stained-glass windows and one leaded glass window of alternating green and translucent diamond shapes. The chancel, located at the southern end of the church measures 15 feet wide by 10 feet in depth with roof line mirroring that of the main roof. Centrally located in the southern chancel facade is a single stained glass window measuring 3 feet, 5 inches by 5 feet., 9 inches again in the "pointed" or Gothic style. To the east, the 1975 sacristy-work area, while maintaining the roof lines of the church measures 27 feet, 4 inches by 19 feet and is pierced by two windows each on the east and west facades. These windows measure 34 inches in width by 3 feet to the point. The sacristy is constructed with matching rough-cut native limestone facing over a more modern cinder block interior construction. The sacristy communicates directly with the chancel through the original exterior door and vestibule described in the 1848

United States Department of the Interior
National Park Service

NATIONAL REGISTER OF HISTORIC PLACES
CONTINUATION SHEET

Section 7 Page 9

WA-II-024
St. Mark's
Episcopal Church
Washington Co., MD

building specifications. A small portion of the original shed roof to the vestibule is observable on the east facade.

A single chimney, not the original, is located on the south-western corner of the church and rises approximately 8-9 feet above the eaves. The steeple, located on the north peak of the church roof rises another 12 feet and includes the original bell and electronic carrillon. The sides and roof of the steeple are shingled in material identical to the roof.

The interior nave of the church is floored with yellow pine laid in diagonal pattern to the walls. Brown stained, 3 inch tongue and groove beaded wainscoting 62 inches high surrounds the nave. Walls are canvas-over-plaster and painted white. The Gothic ceiling which parallels the roof pitch is finished with 3 inch brown stained tongue and groove yellow pine.

A staircase lying immediately to the left of the front door leads to the former gallery. Now supported by a steel I beam which inserts on the southern edge of the first set of stained-glass windows, the gallery houses the organ pipes on the west half and a small 3 tiered seating area on the east. The upper tier includes the access door to the steeple as well as the rope bell pull.

The center aisle, with eight pews on either side proceeds approximately forty feet before meeting the chancel area. Three steps, with handrails attached, access the chancel through a walnut rood screen which clearly demarcates the nave from the chancel. The chancel is elevated 20 inches from the floor of the nave. The first level of the chancel includes an enclosed pulpit on the right (west) and an open lectern on the left (east). The Sanctuary lies immediately south and accessed by one, six-inch step and visually separated from the rest of the chancel by a wood and brass rail with central opening. The somewhat lower ceiling of the sanctuary is covered in the same tongue and groove, brown-stained pine. To the left (east) of the sanctuary and through a door 6 feet 2 inches high with stained glass stationary transom lies a small, 5 ft. x 7 ft 8 in. room used originally as a sacristy and now as a staging area. Passing through this anteroom is the original outside door which opens into the 1975 addition. The door, with Gothic stationary transom is identical in dimensions to the previously mentioned sanctuary-to-sacristy door. The 1976 addition to extend the small sacristy was applied to the surface of the 1849 structure, thus leaving undisturbed the original architectural fabric of the church. Rectangular in shape, the new addition contains a vesting area and closets for service garments.

The stone wall surrounding the property is 48 - 52 in in height (variation according to grade) , 22" thick and topped with a mortar coping. Dimensions of the wall are:

United States Department of the Interior
National Park Service

**NATIONAL REGISTER OF HISTORIC PLACES
CONTINUATION SHEET**

Section 7 Page 10

WA-II-024
St. Mark's
Episcopal Church
Washington Co., MD

=====

42' by 32' and located 9 feet from the asphalt surface of Md. Route 68. The wall is pierced once in the north face by a 12 ft main opening, once in the middle of the west face by a 3 ft opening to access the rectory and once in the rear (south) facade for access to the new portion of the cemetery.

United States Department of the Interior
National Park Service

**NATIONAL REGISTER OF HISTORIC PLACES
CONTINUATION SHEET**

Section 8 Page 11

WA-II-024
St. Mark's
Episcopal Church
Washington Co., MD

Significance Summary

St. Mark's Episcopal Church is significant under Criterion C for its architectural character, exemplifying the influence of the Ecclesiological movement in the design of Episcopal parish churches in rural Washington County, Maryland. In the 1840s, the Cambridge Camden Society (later the Ecclesiological Society) began an active campaign to promote the Gothic style associated with medieval English parish churches as the model for Anglican/Episcopal houses of worship in America. In its form and detailing, and in its masonry construction (utilizing the native limestone characteristic of the vernacular architecture of Washington County in the period), St. Mark's church reflects the influence of Ecclesiological principles.

The period during which this property was developed was marked by the expansion and further refinement of the agrarian society of late 18th and early 19th century Western Maryland. By the end of the first quarter of the 19th century, Washington County was a very prosperous region and economically based on diversified farming, particularly the growing of small grains such as wheat. In the movement westward, it was common for people of Maryland's eastern counties to penetrate further into the rich and fertile farmland of Washington County. This influx was facilitated by the refinement of transportation routes and, in particular, the National Road helped to bring prosperity to the area during the decades between 1820 - 1840. For Washington County, this was a period dominated by turnpike, bridge and canal construction. The C&O Canal was open as far as Williamsport by the mid 1830's and the B&O Railroad had reached Martinsburg, West Virginia in the same decade. More than 30 stone bridges were constructed in Washington County between 1819 - 1863 with major construction occurring in the 1820's and 1830's. As in previous periods, it was common for the more prosperous to select the local limestone for building material. Records demonstrate that limestone buildings had a higher value than their wooden or brick counterparts. Limestone construction was thus associated with prosperity in Western Maryland in the late 18th and first half of the 19th century.

According to Scharf, the Episcopal Church had moved into Washington County earlier and was well-established:

"The honor of having first introduced the Christian religion into the then wilds of Washington County cannot be definitively accorded to any one

United States Department of the Interior
National Park Service

NATIONAL REGISTER OF HISTORIC PLACES
CONTINUATION SHEET

Section 8 Page 12

WA-II-024
St. Mark's
Episcopal Church
Washington Co., MD

denomination but the probabilities are that the Episcopalians were first on the field as an organized body; for it seems to be very clear that the English settlers from Southern Maryland anticipated the Germans and the Scotch-Irish by some years and most of the southern Marylanders belonged to the Established Church, though many of them were Catholics.." (Scharf, J. Thomas. A History of Western Maryland - Vol. 2 Philadelphia, Pa.: Louis H. Everts, 1882.)

On October 1, 1776 Washington County was developed from the division of Frederick County and on April 21, 1787 a number of Washington County Episcopalians met at the Courthouse and elected Vestrymen. By 1806, the Convention of the Diocese of Maryland acted upon a petition from Washington County members of the Protestant Episcopal Church, thereby creating St. John's Parish headquartered in Elizabethtown (Hagerstown). The growth in religious activity of all denominations paralleled the overall expansion in population, economy and culture in Washington County. Additional Episcopal churches in neighboring villages quickly followed:

1819 - St. Paul's, Sharpsburg; 1835 - St. Thomas', Hancock; 1837 - St. Luke's, Brownsville and 1840 - St. Andrew's, Clear Spring. Of these six small Episcopalian churches built during this time, only St. Thomas' and St. Mark's Lappans retain their original architectural integrity while others fell prey to fire at some point in time or destruction during the Civil War. It was within the context of this expansion that St. Mark's originated. Following the encouraging attendance at October, 1848 worship services held in a stone school house near Fairplay, Md (approx. 4 miles from the property in question) by The Rev. Robert Clarkson, Deacon of the College at St. James, an effort was made to secure adequate subscriptions for the erection of a church that would be more convenient to the population residing between the College of St. James and Boonsboro in the southern portion of Washington County. The church was built on one acre of ground donated by Dr. Thomas Maddox and situated on the public road from Boonsboro to Williamsport (Md. Rt. 68). The historic link between the College of Saint James and St. Marks is clear both from the active involvement of members of the Saint James faculty and the correspondence between The Rev. John Kerfoot, founder of the College and Bishop Whittingham. Indeed, the first priest of St. Mark's was a member of the Saint James faculty, The Rev. Joseph Clarkson Passmore. Documentation of meetings prior to the development of a building contract revealed that the major stipulations were that the structure was to be "a small stone church in the pointed style, 40 ft. long, 21 feet wide in the clear with a chancel of ten feet deep and a small vestry room by its side." By the time a contract was signed the dimensions were increased and details were more complete. A contract was entered into with a local carpenter, Upton Morin.

United States Department of the Interior
National Park Service

NATIONAL REGISTER OF HISTORIC PLACES
CONTINUATION SHEET

Section 8 Page 13

WA-II-024
St. Mark's
Episcopal Church
Washington Co., MD

The contract specifications remain and state:

Walls to be of rough stonework, painted as near the color of the stone as can be, to be two feet thick from foundation up. The main building to be fifty feet long by twenty-five feet wide; seventeen feet high from top of joice and deep enough to insure a good and safe foundation: in the rear of the church to be attached a chancel, ten feet long by fifteen feet wide, 11 feet high from top of joice, roof to correspond with roof of main building as hereafter described: the rafters of chancel to be fifteen feet long. Attached to main building and chancel is to be a vestry room with a shed roof 8 feet by 5 feet in the clear inside, with two doors, one entering from without and one into the chancel, and one small window. In front of the church is to be a doorway of stone 12 feet wide, walls to be three feet thick, 4 feet deep and ten feet high to the square, with a roof to correspond to the main building, and three wooden battlements on each wall.

In the main building is to be six windows, 3 on each side, and one in rear of chancel, all to be as follows: 4 feet wide, 8 feet high to the square, and then three feet to a point at top. The transom to be stationary, the lower part of window to be in two parts, hung on pivots, with an upright in center; glass to be seven by nine inches; one circular window in front above the door, sash six feet in diameter. To be made open roof, rafters in main building to be 25 feet long; between the roof and wall to be closed with stone and plastered as the wall, all to be sheated with good, well-seasoned timber, straight-edge boards, and covered with oak shingles; all the flooring to be quartered, tongued, and grooved. Benches and kneelers to be similar to the benches and kneelers in the chapel of the College of St. James, the benches to be placed the same distance apart.

The floor of the chancel to be raised three feet above the main floor, with three steps in front, a railing across, a communion table, a pulpit, and three pointed tablets.

The stone work inside to be all plastered, to have one flue running in center of each side wall of main building each large enough to carry off the smoke of a stovepipe; all the inside walls and roof to be washed such color as may hereafter be agreed upon. The boards and rafters of roof to be first brushed with a coarse broom, so as to remove the loose saw-splinters - all the woodwork inside and out except the floor, roof and benches to be painted white. The benches to be painted oak color and varnished.

The materials all to be good timber except joice and rafters to be well-seasoned, and all materials to be found by said Morin, who binds himself to do all in a workmanlike manner and to have the church completed on or before the 15th day of July next.

Once work had commenced a number of modifications to the original plans occurred: a gallery, accessed by ladder, for slaves was added, the chancel was lowered in height from three feet from the floor to approximately 20 inches, the porch was scaled down to be in better proportion to the overall structure and the circular window above the door was eliminated. Although no specific references regarding an architectural style for the new church exist aside from the contract specifications, the use of a vernacular expression of ecclesiastical Gothic Revival parallels the both the Oxford Movement in the Anglican Episcopal church and the return in favor of a sanctuary-focused architecture. An excerpt from a publication

United States Department of the Interior
National Park Service

NATIONAL REGISTER OF HISTORIC PLACES
CONTINUATION SHEET

Section 8 Page 14

WA-II-024
St. Mark's
Episcopal Church
Washington Co., MD

"The Story of St. Mark's Episcopal Church" by Ann McKinley Bushong gives a description of the finished product:

"The appearance of the church then was greatly different, inside and out from the St. Mark's we know today. There was no fence around it, there were no graves in its yard, its trees were young and small, its grass uncut. It had no belfry, no walks. Its windows were of small-paned clear glass, there was no ivy on its walls. Inside it was austere plain. The walls were plastered and painted white, the floors varnished, the uncomfortable benches stained, the roof was bare to the rafters, there was no wainscoting, no organ, no carpeting nor rugs. It is doubtful whether the wood stoves had, as yet, been installed."

The church was consecrated on July 25, 1849 on the Feast of St. James with fifteen females and twenty-three males present. The congregation was formally accepted into union with the Diocesan convention in 1850.

By March, 1856 the Vestry authorized additional modifications to the structure including the addition of a lowered ceiling pointing about six feet below the roof, lathing and plastering of the body of the church and chancel and the repair of the chimneys to prevent smoking. A "dry stone wall" was erected at about this same time although the exact date is unknown.

As the church is located one-quarter of a mile east of the junction of the primary road from Hagerstown to Sharpsburg and the Williamsport-Boonsboro road, it can be assumed that much activity occurred in the area during the years of the Civil War and most particularly the month of September, 1862. The Battle of Antietam was fought approximately 6 miles from the church and it is known that some of the wounded were taken to the church and then moved to Dr. Maddox's farm by wagon. No services were held in the church from mid-September to November 21, 1862. Paralleling these developments it is of note that the students at the College of St. James were nearly all from the South and the Faculty, including Dr. Kerfoot, its President, were from the North. The civil strife took its toll and the College was abandoned in late 1863. The Rev. Passmore had served as minister from St. Marks' consecration in 1849 until July, 1862, two months prior to the Battle of Antietam. The Rev. Joseph Howland Coit, also a College of St. James faculty member served as the church's minister through the two year turbulent period and resigned in 1864 to be followed by The Rev. Henry Edwards, another St. James faculty member.

Architecturally, St. Mark's remained largely unchanged until 1877 when a bell gable was added to the roof in its current placement. A bell was placed in the gable, a product of the Meneely Bell Company of Troy, New York. In 1899, the current Rectory was built through the donation of Miss Ann Fowler Maddox, daughter of church founder, Thomas Maddox. The Rectory lies due west of the church, outside

United States Department of the Interior
National Park Service

**NATIONAL REGISTER OF HISTORIC PLACES
CONTINUATION SHEET**

Section 8 Page 15

WA-II-024
St. Mark's
Episcopal Church
Washington Co., MD

=====

the churchyard wall and outside the scope of this nomination. In 1922, the original dry stone wall was replaced with a stone and masonry wall and accessed from the Rectory by way of a stile. Wrought iron gates were added to the north facing main entry point with the original hitching rails and mounting block retained on either side of the main approach walk to the church.

In December, 1976 the Vestry of St. Mark's accepted a bid from Callas Contractors to complete an architecturally sympathetic addition to the church for the housing of a sacristy, vesting area and storage/work area. The project was to be completed with native limestone similar to that of the main structure, retention of the roof line of the church and attached to the church in such a way as to leave the original architectural fabric of the church untouched. The project was completed and placed into use in May, 1977. In 1995 a new flame retardent cedar shingle roof was applied using techniques recommended by the National Cedar Shingle and Shake Bureau.

The Cemetery, lying east, south and west of the Church and completely surrounded by the confines of the stone and masonry wall, was first used in 1852 for the burial of John Breathed, an original founder of the church. The Cemetery contains 173 markers although it is known that some unmarked graves exist from the early days of the parish. In 1962, three-fifths of an acre of property was donated that was situated directly adjacent and south of the old cemetery to provide an expansion area to the wall-enclosed cemetery. At present, all plots in the "old" cemetery are sold.

St. Mark's Episcopal Church - Lappans stands as an intact religious structure typical of rural mid-19th century Maryland as well as a building that brings together elements of Gothic Revival architecture, the Oxford Movement and the social/cultural traditions prevalent in rural southern Washington County, Maryland of the 1840's.

United States Department of the Interior
National Park Service

**NATIONAL REGISTER OF HISTORIC PLACES
CONTINUATION SHEET**

Section 8 Page 16

WA-II-024
St. Mark's
Episcopal Church
Washington Co., MD

=====

HISTORIC CONTEXT

MARYLAND COMPREHENSIVE HISTORIC PRESERVATION PLAN DATA

Geographic Organization: Western Maryland

Chronological/Developmental Period(s):
Agricultural/Industrial Transition: A.D. 1815-1870

Historic Period Theme(s):
Architecture/Landscape Architecture/Community Planning

Resource Type:
Category: Building(s)
Historic Environment: Rural
Historic Function(s) and Use(s):
RELIGION/religious structure

Known Design Source:
none

United States Department of the Interior
National Park Service

NATIONAL REGISTER OF HISTORIC PLACES
CONTINUATION SHEET

Section 9 Page 17

WA-II-024
St. Mark's
Episcopal Church
Washington Co., MD

=====

MAJOR BIBLIOGRAPHICAL REFERENCES

Stanton, Phoebe B. The Gothic Revival and American Church Architecture: An Episode in Taste, 1840-1856. Baltimore: The Johns Hopkins Press, 1968.

Bushong, Ann. McKinley. The Story of St. Mark's Episcopal Church. Hagerstown, Maryland: TriState Printing, 1974.

Harrison, Hall. Life of the Right Reverend John Barrett Kerfoot. New York: James Pott & Co., 1886. Vol I (1816 - 1864).


McGinley, Rev, Charles R. They Continued Steadfastly in the Apostles' Teachings and Fellowship: A History of Saint Mark's Episcopal Church Washington County, Maryland. 1986 Privately printed by The Printing Place: Hagerstown, Maryland.

Sharf, J. Thomas. A History of Western Maryland - Vol 2 Philadelphia, Pa.. Louis H. Everts, 1882.

WA-II-024
ST. MARK'S
EPISCOPAL
CHURCH

WASHINGTON
COUNTY, MD

18-265060-
438128D



NOMINATION FORM
for the
NATIONAL REGISTER OF HISTORIC PLACES, NATIONAL PARKS SERVICE

SEE INSTRUCTIONS

1. NAME				
COMMON: St. Mark's Church				
AND/OR HISTORIC:				
2. LOCATION				
STREET AND NUMBER: Lappans Crossroads area about 1/4 mile east of Maryland Route 68				
CITY OR TOWN: Route 1, Boonsboro				
STATE Maryland			COUNTY: Washington	
3. CLASSIFICATION				
CATEGORY <i>(Check One)</i>		OWNERSHIP		ACCESSIBLE TO THE PUBLIC
<input type="checkbox"/> District <input type="checkbox"/> Site <input type="checkbox"/> Object		<input checked="" type="checkbox"/> Building <input type="checkbox"/> Structure <input type="checkbox"/> Both		Yes: <input checked="" type="checkbox"/> Restricted <input type="checkbox"/> Unrestricted <input type="checkbox"/> No
		Public Acquisition: <input type="checkbox"/> In Process <input type="checkbox"/> Being Considered		<input checked="" type="checkbox"/> Occupied <input type="checkbox"/> Unoccupied <input type="checkbox"/> Preservation work in progress
PRESENT USE <i>(Check One or More as Appropriate)</i>				
<input type="checkbox"/> Agricultural <input type="checkbox"/> Commercial <input type="checkbox"/> Educational <input type="checkbox"/> Entertainment		<input type="checkbox"/> Government <input type="checkbox"/> Industrial <input type="checkbox"/> Military <input type="checkbox"/> Museum		<input type="checkbox"/> Park <input type="checkbox"/> Private Residence <input checked="" type="checkbox"/> Religious <input type="checkbox"/> Scientific
		<input type="checkbox"/> Transportation <input type="checkbox"/> Other <i>(Specify)</i> _____		<input type="checkbox"/> Comments _____
4. OWNER OF PROPERTY				
OWNER'S NAME: Vestry of St. Mark's Church % The Rev. Charles R. McGinley, Rector				
STREET AND NUMBER: Route 1, Box 224 Route 1 Boonsboro, Md. 21713				
CITY OR TOWN: Boonsboro			STATE: Maryland	
5. LOCATION OF LEGAL DESCRIPTION				
COURTHOUSE, REGISTRY OF DEEDS, ETC.: Washington County Court House				
STREET AND NUMBER: West Washington Street				
CITY OR TOWN: Hagerstown			STATE: Maryland	
Title Reference of Current Deed (Book & Pg. #): IN. 13/311				
6. REPRESENTATION IN EXISTING SURVEYS				
TITLE OF SURVEY:				
DATE OF SURVEY: <input type="checkbox"/> Federal <input type="checkbox"/> State <input type="checkbox"/> County <input type="checkbox"/> Local				
DEPOSITORY FOR SURVEY RECORDS:				
STREET AND NUMBER:				
CITY OR TOWN:			STATE:	

7. DESCRIPTION

CONDITION	(Check One)					
	<input checked="" type="checkbox"/> Excellent	<input type="checkbox"/> Good	<input type="checkbox"/> Fair	<input type="checkbox"/> Deteriorated	<input type="checkbox"/> Ruins	<input type="checkbox"/> Unexposed
	(Check One)			(Check One)		
	<input checked="" type="checkbox"/> Altered	<input type="checkbox"/> Unaltered	<input type="checkbox"/> Moved	<input checked="" type="checkbox"/> Original Site		

DESCRIBE THE PRESENT AND ORIGINAL (If known) PHYSICAL APPEARANCE

St. Mark's Episcopal Church is located along Maryland Route 68 about 1/4 mile east of Lappans Crossroads in Washington County, Md. It stands a short distance south of the road in a wooded area, with its entrance facing north.

Three bays in length, the gothic-style church is built of coursed local fieldstone. The steeply gabled roof is covered with wooden shingles similar to the original oak roof covering. The church is 50' long and 25' wide with a one-story vestry attached to its south gable end. There are three windows on each side of the building, topped with triangular transoms. The main entrance is located under a steeply gabled porch at the north end of the building.

The church was completed in 1849 on ground donated by Dr. Thomas Maddox. The cost of the building was \$1.385. Attached is a section of the building contract reproduced from the printed history of the church.¹ It offers the specifications for the structure as directed by the building committee consisting of Hezekiah Clagett, George Scott Kennedy, John Breathed and Dr. Thomas Maddox. They apparently conceived the design as there is no record of an architect having been consulted.

In 1878 the bell and bellfry were added. The church stands on 2.38 acres of land. It is in excellent condition and is not now in danger of alteration or destruction.

¹Ann McKinley Bushong, historian, "The Story of St. Mark's Episcopal Churc," Antietam Parish, Breathedsville, Md., 1949, p. 10.

SEE INSTRUCTIONS

SIGNIFICANCE

PERIOD (Check One or More as Appropriate)

- Pre-Columbian
- 15th Century
- 16th Century
- 17th Century
- 18th Century
- 19th Century
- 20th Century

SPECIFIC DATE(S) (If Applicable and Known) **cornerstone laid in 1849**

AREAS OF SIGNIFICANCE (Check One or More as Appropriate)

- | | | | |
|--|---|--|--|
| <input type="checkbox"/> Aboriginal | <input type="checkbox"/> Education | <input type="checkbox"/> Political | <input type="checkbox"/> Urban Planning |
| <input type="checkbox"/> Prehistoric | <input type="checkbox"/> Engineering | <input type="checkbox"/> Religion/Philosophy | <input type="checkbox"/> Other (Specify) |
| <input type="checkbox"/> Historic | <input type="checkbox"/> Industry | <input type="checkbox"/> Science | _____ |
| <input type="checkbox"/> Agriculture | <input type="checkbox"/> Invention | <input type="checkbox"/> Sculpture | _____ |
| <input checked="" type="checkbox"/> Architecture | <input type="checkbox"/> Landscape Architecture | <input type="checkbox"/> Social/Humanitarian | _____ |
| <input type="checkbox"/> Art | <input type="checkbox"/> Literature | <input type="checkbox"/> Theater | _____ |
| <input type="checkbox"/> Commerce | <input type="checkbox"/> Military | <input type="checkbox"/> Transportation | _____ |
| <input type="checkbox"/> Communications | <input type="checkbox"/> Music | | _____ |
| <input type="checkbox"/> Conservation | | | _____ |

STATEMENT OF SIGNIFICANCE

St. Mark's Church is significant for its contribution to the history of the Episcopal Church in Washington County, for its architectural merit and for its scenic value.

The church was founded by Dr. James Thomas Notley Maddox, who moved from St. Mary's County to a 200-acre farm near Lappans Crossroads. A medical doctor, Maddox felt that a church should be developed in the area and it was through his efforts that St. Mark's was organized and grew. The peaceful history of the church was interrupted during the Civil War battle of Antietam when soldiers and wounded men stayed in the building.

Architecturally, the church provides a well maintained and preserved example of native stone architecture. Stone is a frequently used building material in the area, providing Washington County and western Maryland with much of its character. It is interesting to note that the stones were not to have been exposed originally, but rather, covered with paint "as near to the color of the stone as can be." During the early and mid 19th century it was not uncommon for the construction materials of buildings to be masked by paint or plaster which was considered a refinement.

The church's historical and architectural importance is enhanced by its scenic setting. It is situated in a level grassy plot surrounded by large trees which give the area a very tranquil appearance.

SEE INSTRUCTIONS

9. MAJOR BIBLIOGRAPHICAL REFERENCES

Bushong, Ann McKinley, historian, "The Story of St. Mark's Episcopal Church," Antietam Parish, Breathedsville, Md., 1949.
Williams, T. J. C., History of Washington County, Md., Hagerstown: Mail Publishing Co., 1906.

10. GEOGRAPHICAL DATA

LATITUDE AND LONGITUDE COORDINATES DEFINING A RECTANGLE LOCATING THE PROPERTY			O R	LATITUDE AND LONGITUDE COORDINATES DEFINING THE CENTER POINT OF A PROPERTY OF LESS THAN TEN ACRES		
CORNER	LATITUDE	LONGITUDE		LATITUDE	LONGITUDE	
	Degrees Minutes Seconds	Degrees Minutes Seconds		Degrees Minutes Seconds	Degrees Minutes Seconds	
NW	° ' "	° ' "		° ' "	° ' "	
NE	° ' "	° ' "		° ' "	° ' "	
SE	° ' "	° ' "		° ' "	° ' "	
SW	° ' "	° ' "		° ' "	° ' "	

APPROXIMATE ACREAGE OF NOMINATED PROPERTY: 2.38 acres

Acreage Justification:

LIST ALL STATES AND COUNTIES FOR PROPERTIES OVERLAPPING STATE OR COUNTY BOUNDARIES

STATE:	COUNTY:

11. FORM PREPARED BY

NAME AND TITLE:
Paula Stoner Dickey, Consultant

ORGANIZATION: Washington County Historic Sites Survey DATE: January, 1974

STREET AND NUMBER:
Court House Annex


CITY OR TOWN: Hagerstown STATE: Maryland

12. State Liaison Officer Review: (Office Use Only)

Significance of this property is:
National State Local

Signature

SEE INSTRUCTIONS



144-11-024

ST. MARK'S EPISCOPAL CHURCH

N.L.

Paula S. ...

...

...

...



WA-II-024



1. Mark the top of the page

2. Mark the bottom of the page

3. Mark the middle of the page

4. Mark the left side of the page

5. Mark the right side of the page


6. Mark the center of the page

7. Mark the top left corner

8. Mark the top right corner

9. Mark the bottom left corner

10. Mark the bottom right corner



WA-II-024

1. $\frac{1}{2} \times \frac{1}{2} = \frac{1}{4}$

2. $\frac{1}{3} \times \frac{1}{3} = \frac{1}{9}$

3. $\frac{1}{4} \times \frac{1}{4} = \frac{1}{16}$

4. $\frac{1}{5} \times \frac{1}{5} = \frac{1}{25}$

5. $\frac{1}{6} \times \frac{1}{6} = \frac{1}{36}$

6. $\frac{1}{7} \times \frac{1}{7} = \frac{1}{49}$

7. $\frac{1}{8} \times \frac{1}{8} = \frac{1}{64}$



WA-II-024



1. The first part of the document
 discusses the general principles
 of the project.

2. The second part of the document
 describes the methodology used
 in the study.

3. The third part of the document
 presents the results of the study
 and discusses their implications.


4. The fourth part of the document
 concludes the study and provides
 recommendations for future research.

5. The fifth part of the document
 provides a summary of the findings
 and a list of references.

6. The sixth part of the document
 contains the appendices and
 supplementary materials.

7. The seventh part of the document
 contains the index and the
 table of contents.

8. The eighth part of the document
 contains the acknowledgments and
 the author's biography.




1. The first part of the document is a list of names and addresses. The names are written in a cursive hand, and the addresses are written in a more formal, printed hand. The list includes names such as "John Doe", "Jane Smith", and "Robert Johnson", along with their respective street addresses and city names.

2. The second part of the document is a table with several columns. The columns are labeled "Name", "Address", and "City". The table contains several rows of data, with names and addresses written in the same cursive hand as the first part, and city names written in the same printed hand.

3. The third part of the document is a list of names and addresses, similar to the first part. The names are written in a cursive hand, and the addresses are written in a more formal, printed hand. The list includes names such as "Mary White", "Thomas Green", and "Elizabeth Black", along with their respective street addresses and city names.

4. The fourth part of the document is a table with several columns. The columns are labeled "Name", "Address", and "City". The table contains several rows of data, with names and addresses written in the same cursive hand as the first part, and city names written in the same printed hand.



WA-II-024

03 1 2 3 4 5 6 7 8 9 10 11 12

13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200

201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300

301 302 303 304 305 306 307 308 309 310 311 312 313 314 315 316 317 318 319 320 321 322 323 324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374 375 376 377 378 379 380 381 382 383 384 385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400

401 402 403 404 405 406 407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425 426 427 428 429 430 431 432 433 434 435 436 437 438 439 440 441 442 443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459 460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476 477 478 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 497 498 499 500

501 502 503 504 505 506 507 508 509 510 511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 526 527 528 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556 557 558 559 560 561 562 563 564 565 566 567 568 569 570 571 572 573 574 575 576 577 578 579 580 581 582 583 584 585 586 587 588 589 590 591 592 593 594 595 596 597 598 599 600

601 602 603 604 605 606 607 608 609 610 611 612 613 614 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629 630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646 647 648 649 650 651 652 653 654 655 656 657 658 659 660 661 662 663 664 665 666 667 668 669 670 671 672 673 674 675 676 677 678 679 680 681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697 698 699 700


701 702 703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731 732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748 749 750 751 752 753 754 755 756 757 758 759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799 800



WA-II-024



WA-II-024



WA-II-024



Church

WA-IT-024



WA-TT-024



WA-II-024