

WA-VI- 056

I 70 Bridge over Ramp E2 from Maryland 615 Eastbound Lanes
Hancock vic.
1960

Bridge No. 2106103 consists of a concrete overpass that carries two eastbound traffic lanes and one emergency lane of I 70 over Hollow Road. A nearly identical overpass (Bridge 2106104) carries the westbound lanes of I 70 over Hollow Road. This overpass consists of two reinforced concrete abutments approximately 40 feet long. The center span is a concrete rigid frame 26 feet wide, with a minimum clearance of 16 feet. The abutments feature a battered inner edge on the arch side, and the arch is slightly recessed, with the battered abutments projecting slightly. A slightly projecting concrete parapet surmounts the abutments and arch. On each side, an aluminum pipe railing arises from the concrete coping. The bridge supports a 40-foot wide road deck that accommodates an asphalt roadway with two traffic lanes and an emergency lane. The largely identical westbound bridge lies approximately fifty feet north of the eastbound span. At the end of the concrete parapet on the southwest corner of the bridge, the construction date "1960" is incised.

The I 70 Bridge over Ramp E2, Eastbound Lanes (MIHP # WA-IV-56, Bridge 2106103) was completed in 1960 at MD 615, east of the community of Hancock, in Washington County. The bridge was built as part of the development of I 70 in Maryland and the adaptation of portions of US 40 into the Interstate System. The I 70 Bridge over Ramp E2, Eastbound Lanes is a concrete rigid frame structure erected to allow high-speed traffic to easily cross above MD 615. This bridge is one of the first two bridges completed in Washington County during the initial phase of construction of I 70 in Maryland.

MARYLAND HISTORICAL TRUST
DETERMINATION OF ELIGIBILITY FORM

NR Eligible: yes ___
no

Property Name: SHA Bridge No. 2106103 Inventory Number: WA-VI-056
Address: I-70 over Ramp E2 from MD 615 Eastbound Lane Historic district: ___ yes no
City: Hancock, MD Zip Code: _____ County: Washington
USGS Quadrangle(s): Hancock
Property Owner: MD SHA Tax Account ID Number: _____
Tax Map Parcel Number(s): _____ Tax Map Number: _____
Project: Mid-20th Century Highway Bridges of Maryland (1948-1960) Agency: _____
Agency Prepared By: _____
Preparer's Name: Amy Barnes URS Corporation Date Prepared: 09/26/2004
Documentation is presented in: Project Review and Compliance Files
Preparer's Eligibility Recommendation: ___ Eligibility recommended Eligibility not recommended
Criteria: A ___ B C ___ D Considerations: ___ A ___ B ___ C ___ D ___ E ___ F ___ G
Complete if the property is a contributing or non-contributing resource to a NR district/property:
Name of the District/Property: _____
Inventory Number: _____ Eligible: ___ yes Listed: ___ yes
Site visit by MHT Staff ___ yes no Name: _____ Date: _____

Description of Property and Justification: *(Please attach map and photo)*

Description

The I 70 Bridge over Ramp E2, Eastbound Lanes (MIHP # WA-IV-56, Bridge 2106103) was completed in 1960 at MD 615, east of the community of Hancock, in Washington County. The bridge was built as part of the development of I 70 in Maryland and the adaptation of portions of US 40 into the Interstate System. The I 70 Bridge over Ramp E2, Eastbound Lanes is a concrete rigid frame structure erected to allow high-speed traffic to easily cross above MD 615. This bridge is one of the first two bridges completed in Washington County during the initial phase of construction of I 70 in Maryland.

Determination of Eligibility

The I 70 Bridge over Ramp E2, Eastbound Lanes (MIHP # WA-IV-56, Bridge 2106103) is eligible for listing in the National Register under Criterion A on the state level with the period of significance as 1960. The bridge is associated with the historical development of I 70, the first Interstate in Maryland, it is one of the first two bridges completed in Washington County during the

MARYLAND HISTORICAL TRUST REVIEW

Eligibility recommended ___ Eligibility not recommended
Criteria: ___ A ___ B ___ C ___ D Considerations: ___ A ___ B ___ C ___ D ___ E ___ F ___ G

MHT Comments:

Jim J. [Signature]
Reviewer, Office of Preservation Services
[Signature]
Reviewer, National Register Program

6/2/2011
Date
6/3/11
Date

Initial phase of construction of I 70 in Maryland. Work on the route began in Maryland in 1956 with official construction beginning in 1960. A single-span, concrete rigid frame structure, the bridge was designed specifically for its site by Michael Baker, Jr., Inc., an engineering firm specializing in bridge and highway design, for the Maryland State Road Commission in 1958. The company, which is still in existence, designed several bridges for the Maryland State Roads Commission during this period.

The I 70 Bridge over Ramp E2, Eastbound Lanes is not National Register-eligible under Criterion B, as it is not associated with an individual significant on the local, state, or national level.

The I 70 Bridge over Ramp E2, Eastbound Lanes is National Register-eligible under Criterion C on the local level as a notable example of the concrete rigid frame bridge type, a rare type in Maryland bridge design. The bridge was one of the last two examples of this type designed and constructed in Maryland in the 1948-1960 period. This bridge type was popular in the 1920s and 1930s but was constructed on a limited basis in Maryland into the 1950s and was rarely used after 1960. The I 70 Bridge over Ramp E2, Eastbound Lanes retains all of the character-defining elements of its type intact. Further, it retains its integrity of location, design, association, setting, materials, workmanship, and feeling.

National Register-eligibility under Criterion D was not investigated as part of this study.

SHA disagrees with the consultant regarding the eligibility recommendation for this bridge. Because it is an Interstate Bridge it meets the exemption criterion as set forth in the 2005 document. Additional research did not identify events, persons or engineering achievements important to local, state or national history and SHA Bridge No. 2106103 is not eligible for the NRHP under Criteria A, B or C.

MARYLAND HISTORICAL TRUST REVIEW

Eligibility recommended _____ Eligibility not recommended _____

Criteria: ___ A ___ B ___ C ___ D Considerations: ___ A ___ B ___ C ___ D ___ E ___ F ___ G

MHT Comments:

Reviewer, Office of Preservation Services

Date

Reviewer, National Register Program

Date

Maryland Historical Trust Maryland Inventory of Historic Properties Form

Inventory No. WA-VI-056

1. Name of Property (indicate preferred name)

historic I 70 Bridge over Ramp E2, Eastbound Lane

other Bridge No. 2106103

2. Location

street and number I 70 at Exit 5 N/A not for publication

city, town Hancock x vicinity

county Washington

3. Owner of Property (give names and mailing addresses of all owners)

name Maryland State Highway Administration

street and number 707 N. Calvert Street telephone 410-545-0300

city, town Baltimore state MD zip code 21202

4. Location of Legal Description

courthouse, registry of deeds, etc.	liber	folio
city, town	tax map	tax parcel
		tax ID number

5. Primary Location of Additional Data

- Contributing Resource in National Register District
- Contributing Resource in Local Historic District
- Determined Eligible for the National Register/Maryland Register
- Determined Ineligible for the National Register/Maryland Register
- Recorded by HABS/HAER
- Historic Structure Report or Research Report at MHT
- Other: Statewide Inventory by SHA

6. Classification

Category	Ownership	Current Function		Resource Count	
<input type="checkbox"/> district	<input checked="" type="checkbox"/> public	<input type="checkbox"/> agriculture	<input type="checkbox"/> landscape	Contributing	Noncontributing
<input type="checkbox"/> building(s)	<input type="checkbox"/> private	<input type="checkbox"/> commerce/trade	<input type="checkbox"/> recreation/culture	_____	_____ buildings
<input checked="" type="checkbox"/> structure	<input type="checkbox"/> both	<input type="checkbox"/> defense	<input type="checkbox"/> religion	_____	_____ sites
<input type="checkbox"/> site		<input type="checkbox"/> domestic	<input type="checkbox"/> social	<u>1</u>	_____ structures
<input type="checkbox"/> object		<input type="checkbox"/> education	<input checked="" type="checkbox"/> transportation	_____	_____ objects
		<input type="checkbox"/> funerary	<input type="checkbox"/> work in progress	<u>1</u>	_____ Total
		<input type="checkbox"/> government	<input type="checkbox"/> unknown		
		<input type="checkbox"/> health care	<input type="checkbox"/> vacant/not in use		
		<input type="checkbox"/> industry	<input type="checkbox"/> other:		
				Number of Contributing Resources previously listed in the Inventory	
				<u>0</u>	

7. Description

Inventory No. WA-VI-056

Condition

excellent deteriorated
 good ruins
 fair altered

Prepare both a one paragraph summary and a comprehensive description of the resource and its various elements as it exists today.

Bridge No. 2106103 consists of a concrete overpass that carries two eastbound traffic lanes and one emergency lane of I70 over Hollow Road. The bridge is located east of the town of Hancock. The Chesapeake and Ohio Canal National Historic Park is located south of the bridge along the north shore of the Potomac River. An identical overpass (Bridge No. 2106104) carries the westbound lanes of I 70 over Hollow Road.

This overpass consists of two reinforced concrete abutments approximately 40 feet long. The center span is a concrete rigid frame 26 feet wide, with a minimum clearance of 16 feet. The abutments feature a battered inner edge on the arch side, and the arch is slightly recessed, with the battered abutments projecting slightly. A slightly projecting concrete parapet surmounts the abutments and arch. On each side, an aluminum pipe railing arises from the concrete coping. The bridge does not accommodate pedestrian traffic.

The bridge supports a 40-foot wide road deck that accommodates an asphalt roadway with two traffic lanes and an emergency lane. Hollow Road crosses under the bridge and consists of two traffic lanes flanked on each side by a concrete sidewalk. The bridge is located on a section of the highway marked by traffic lanes divided by a grass median with berms in some areas. The largely identical westbound bridge lies approximately fifty feet north of the eastbound span. At the end of the concrete parapet on the southwest corner of the bridge, the construction date "1960" is incised. The bridge appears to have undergone few major alterations other than possibly resurfacing and repair of some concrete.

8. Significance

Inventory No. WA-VI-056

Period	Areas of Significance	Check and justify below		
<input type="checkbox"/> 1600-1699	<input type="checkbox"/> agriculture	<input type="checkbox"/> economics	<input type="checkbox"/> health/medicine	<input type="checkbox"/> performing arts
<input type="checkbox"/> 1700-1799	<input type="checkbox"/> archeology	<input type="checkbox"/> education	<input type="checkbox"/> industry	<input type="checkbox"/> philosophy
<input type="checkbox"/> 1800-1899	<input type="checkbox"/> architecture	<input checked="" type="checkbox"/> engineering	<input type="checkbox"/> invention	<input type="checkbox"/> politics/government
<input checked="" type="checkbox"/> 1900-1999	<input type="checkbox"/> art	<input type="checkbox"/> entertainment/ recreation	<input type="checkbox"/> landscape architecture	<input type="checkbox"/> religion
<input type="checkbox"/> 2000-	<input type="checkbox"/> commerce	<input type="checkbox"/> ethnic heritage	<input type="checkbox"/> law	<input type="checkbox"/> science
	<input type="checkbox"/> communications	<input type="checkbox"/> exploration/ settlement	<input type="checkbox"/> literature	<input type="checkbox"/> social history
	<input type="checkbox"/> community planning		<input type="checkbox"/> maritime history	<input checked="" type="checkbox"/> transportation
	<input type="checkbox"/> conservation		<input type="checkbox"/> military	<input type="checkbox"/> other: _____

Specific dates 1960 **Architect/Builder** Michael Baker Jr., Inc.

Construction dates 1960

Evaluation for:
 National Register Maryland Register not evaluated

Prepare a one-paragraph summary statement of significance addressing applicable criteria, followed by a narrative discussion of the history of the resource and its context. (For compliance projects, complete evaluation on a DOE Form – see manual.)

Statement of Significance

The I 70 Bridge over Ramp E2, Eastbound Lanes (MIHP # WA-IV-56, Bridge 2106103) was completed in 1960 at MD 615, east of the community of Hancock, in Washington County. The bridge was built as part of the development of I 70 in Maryland and the adaptation of portions of US 40 into the Interstate System. The I 70 Bridge over Ramp E2, Eastbound Lanes is a concrete rigid frame structure erected to allow high-speed traffic to easily cross above MD 615. This bridge is one of the first two bridges completed in Washington County during the initial phase of construction of I 70 in Maryland.

Historic Background and Support

White settlement is known to have occurred in the Hancock area, then known as the Tonoloway Settlement, by the 1730s when maps show European settlers in the area. At that time, the area contained a small settlement and several Indian traders, including Charles Polke and Joseph Flint, both of whose properties were visited by George Washington during his travels through the area in 1747 and 1769. As a frontier community, the area was the scene of several raids during the French and Indian War. In 1755, a stockade fort, known as Fort Stoddard, was constructed at the Tonoloway Settlement. Fort Stoddard was abandoned after the completion of the stone masonry Fort Frederick, located twelve miles to the east, in 1756.

By the time of the Revolutionary War, the Tonoloway Settlement contained approximately twenty houses and had been known variously as the Tonoloway Settlement, Northbend, and William's Town. The community became known as Hancock about this time, probably after Edward Joseph Hancock Jr., who operated a ferry from the community across the Potomac River prior to his enlistment in the Revolutionary War¹.

Washington County was created from the western portion of Frederick County in 1776, and named for the then Revolutionary War general (and later president) George Washington. The original boundaries of Washington County contained the entire westernmost part of the state of Maryland including both present-day Allegany County (which was split off in 1789) and present-day Garrett County (which was split from Allegany County in 1872).

The trail along the Potomac through Hancock to Cumberland, Maryland, and beyond was the primary east-west transportation route in Maryland. This route, in use since before the 1730s, became the basis of the National Road (also known as the National Pike, Western Pike, and the Cumberland Road). This road was the first United States federal highway. The US Congress gave authorization on March 29, 1806, for the construction of a route to connect the Atlantic coast to the Ohio River. Construction using federal funds began in 1811 at Cumberland, Maryland. Funding for improving the existing route from Baltimore to Cumberland was provided by the State of Maryland.

¹ "A Brief History of Hancock, Maryland." Pages 1-2

Maryland Historical Trust

Maryland Inventory of Historic Properties Form

Inventory No. WA-VI-056

Name Bridge No. 2106103, I-70 Bridge over Ramp E2, Eastbound Lane
Continuation Sheet

Number 8 Page 1

Hancock and the surrounding area were the center of a major transportation network during the nineteenth century due to their location along the Potomac River and the National Road, as well as their proximity to the Pennsylvania and West Virginia borders. This location led to the development of the area as a transportation and industrial center due to the high volume of traffic that traveled through the community. In addition to the National Road, the area was also served by the Chesapeake & Ohio (C&O) Canal (which reached Hancock in 1839) and the Western Maryland Railroad (which reached Hancock in 1904). All of these routes were located within the narrow strip of land between the banks of the Potomac and the Cumberland Mountains. Together, these three methods of transportation (road, canal, and train) led to the construction of warehouses, mills, kilns, and canneries and, in Hancock, the construction of facilities such as hotels, motels, and restaurants that serviced the travelers who used the town as a stopping point².

In 1926, US 40 was established by the federal government as a transcontinental highway to connect State Road, Delaware, to San Francisco, California. The route was extended to Atlantic City, New Jersey, the following year. It followed the existing path of the National Road for much of its length, including through Maryland and the Hancock area. As a part of the establishment of US 40, the roadway was widened and paved, though it remained the two-lane route that it had been since the National Road was established³. Crossings were at grade for much of the route with free access from intersecting roadways, including MD 615. US 40 improved the national east-west transportation routes and increased automobile traffic through the Hancock area.

In 1955, President Dwight D. Eisenhower proposed improving America's transportation network with the establishment of an integrated, limited-access Interstate System funded and maintained jointly by the federal and state governments. The Federal-Aid Highway Act was passed by Congress in 1956, and existing routes were assessed for their adaptability into an Interstate⁴. The first I 70, was designed to connect Baltimore and Cove Fort, Utah. Construction was started on the new roadway in Maryland in 1956 with construction by the federal government on the route beginning in 1960.

In Maryland, I 70 entered the state at Hancock and then continued east along the existing US 40 route to Fredrick, Maryland. The new concrete four-lane roadway with a center divider was constructed parallel to and above the existing roadway. Crossings were elevated and access to intersecting roads was limited. The first segments of I 70 completed in the state were the Fredrick bypass and a section between Hancock and MD 615. As a part of this first phase of construction, the I 70 Bridge over Ramp E2, Eastbound Lanes was constructed in 1960⁵. This bridge allowed the I 70 traffic to safely and easily cross over the local traffic on MD 615.

The I 70 Bridge over Ramp E2, Eastbound Lanes is a single-span, concrete rigid frame bridge. Its overall length is 116 feet and it is 40 feet wide. The bridge has two reinforced concrete legs which are 16 feet high. It has a projecting concrete parapet and an aluminum pipe railing.⁶

Concrete rigid frame bridges, of which the I 70 Bridge over Ramp E2, Eastbound Lanes is a late example, were developed in Europe in the nineteenth century and first introduced in America in the 1920s when they were used on the Bronx River Parkway in Westchester County, New York. Concrete rigid frame bridges are constructed as a single unit with no component parts. The abutments become part of the deck and create a rigid frame structure. This bridge type requires expensive and labor-intensive form work and reinforcement, but uses concrete in the most efficient manner possible and reduces the amount of the bridge that is located in the ground as it reduces the size of the abutments.⁷ The principle drawback to this choice of design was that the bridge site had to have

² "A Brief History of Hancock, Maryland." Pages 3-4

³ *General Highway Map of Washington County*, (1937)

⁴ *Creating the Interstate System*, Pages 5-11

⁵ *General Highway Map of Washington County*, (1960)

⁶ *Interstate 70 Over Ramp E2. Elevations, Plans, Sections*, (1958)

⁷ *Delaware's Historic Bridges*, page 229.

Maryland Historical Trust

Maryland Inventory of Historic Properties Form

Inventory No. WA-VI-056

Name Bridge No. 2106103, I-70 Bridge over Ramp E2, Eastbound Lane
Continuation Sheet

Number 8 Page 2

firm, compacted soil in order to avoid uneven settlement that could lead to a failure of the design. In spite of this drawback, bridge historian David Plowden found the development of the bridge type to be "a key reinforced concrete bridge engineering advance of the twentieth century, comparable to the later development of prestressed concrete."⁸ Concrete rigid frame bridges were popular in the 1920s and 1930s due to their aesthetically pleasing appearance, which was marked by well-proportioned spans and clean lines. Due to their aesthetics, they were often used in parkways or natural settings, and were built on a limited basis into the 1950s.

According to Spero in her report on Maryland bridges, eleven county-owned or municipal concrete rigid frame bridges built between 1934 and 1941 were extant in the state in 1995. The earliest were two 35-foot spans erected in 1934 to carry MD 97 over Big Pipe Creek in Carroll County. The longest was Bridge No. 11018, a two-span, 120-foot-long structure built in 1937 to carry MD 135 over the Savage River in Garrett County. Five of the eleven concrete rigid frame bridges erected during the period were built by the State Roads Commission as part of its widening of US 40 from the Maryland and Delaware state line to western Maryland.⁹

The I 70 Bridge over Ramp E2, Eastbound Lanes was designed specifically for this site by Michael Baker, Jr., Inc. for the Maryland State Road Commission in 1958. Michael Baker, Jr., Inc. is an engineering firm established in 1940 that specializes in bridge and highway design. The company, which is still in existence, designed several bridges for the Maryland State Roads Commission during this period as well as projects for other state commissions including the New River Gorge Bridge in Fayetteville, West Virginia. The I 70 Bridge over Ramp E2, Eastbound Lanes was one of the last two examples of this type of bridge designed and constructed in Maryland.¹⁰

⁸ Spero, P.A.C. & Company, *Historic Highway Bridges in Maryland: 1631-1960: Historic Context Report*, 1995, page 149.

⁹ *Ibid*, page 162.

¹⁰ MDSHA Table of 1948-1960 Bridge Statistics. Unpublished.
MDSHA Table of Bridges by Type and Year. Unpublished.

9. Major Bibliographical References

Inventory No. WA-VI-056

See Continuation Sheet

10. Geographical Data

Acreage of surveyed property _____

Acreage of historical setting _____

Quadrangle name Hancock, MD-WV-PAQuadrangle scale: 1:24,000

Verbal boundary description and justification

The I 70 Bridge over Ramp E2 consists of a concrete overpass that carries two eastbound traffic lanes and one emergency lane of I 70 over Hollow Road in Washington County. The bridge has been associated with this site since its construction.

11. Form Prepared by

name/title	Amy Barnes / Roy Hampton and Amy Case		
organization	URS Corporation / Hardlines Design Company	date	October 2004
street & number	200 Orachard Ridge Drive / 4608 Indianola Avenue	telephone	301-258-9780 / 614-784-8733
city or town	Gaithersburg / Columbus	state	MD / OH

The Maryland Inventory of Historic Properties was officially created by an Act of the Maryland Legislature to be found in the Annotated Code of Maryland, Article 41, Section 181 KA, 1974 supplement.

The survey and inventory are being prepared for information and record purposes only and do not constitute any infringement of individual property rights.

return to: Maryland Historical Trust
DHCD/DHCP
100 Community Place
Crownsville, MD 21032-2023
410-514-7600

Maryland Historical Trust

Maryland Inventory of Historic Properties Form

Inventory No. WA-VI-056

Name Bridge No. 2106103, I-70 Bridge over Ramp E2, Eastbound Lane
Continuation Sheet

Number 9 Page 1

Hancock Historical Society. "A Brief History of Hancock, Maryland." Available on the Internet at <<http://www.hancockmd.com/history.htm>>. Last Accessed October 27, 2004.

Lichtenstein Consulting Engineers. *Delaware's Historic Bridges*, 2nd ed. Lichtenstein Consulting Engineers: Paramus, NJ, 2000.

Maryland State Highway Administration. *General Highway Map of Washington County*. 1937. In the Collection of the Library of Congress Geography and Map Reading Room.

_____. *General Highway Map of Washington County*. 1960. In the Collection of the Library of Congress Geography and Map Reading Room.

Maryland State Highway Department. Table of 1948-1960 Bridge Statistics. Unpublished.

_____. Table of Bridges by Type and Year. Unpublished.

Michael Baker, Jr., Inc. *Interstate 70 Over Ramp E2. Elevations, Plans, Sections*. 1958. On File at the Maryland State Highway Department.

Spero, P.A.C., & Company, *Historic Highway Bridges in Maryland: 1631-1960: Historic Context Report*, 1995, 101-102.

Weingroff, Richard F. *Federal-Aid Highway Act of 1956: Creating the Interstate System*. Available on the Internet at <<http://www.fhwa.dot.gov/infrastructure/rw96e.htm>>. Last Accessed October 27, 2004.

Sources Consulted:

Maryland SHA Cultural Resource Library and Bridge Engineering Department, Baltimore - Reports published by or for the State Roads Commission, bridge files

Maryland Historical Trust Library, Crownsville - Inventory of Historic Places, National Register Nominations, Determinations of Eligibility, Cultural Resource Reports

Maryland State Archives, Annapolis - photographs from the Sarikas Collection and materials published by the State Roads Commission


Enoch Pratt Library (Maryland Room), Baltimore - vertical files dealing with Maryland bridges

Library of Congress, Washington, DC - General information on bridges and additional Maryland bridge material

New Jersey State Library, Trenton - Engineering News-Record on microfilm

New York Public Library, (Science, Business, and Industry Library), New York - Additional SHA annual reports

MIHP No. WA-VI-056
Bridge 2106103
I 70 Bridge over Ramp E2 from Maryland 615 Eastbound Lanes
Cherry Run Quad



WA-VI-056



MHP # WA-VII-056

Bridge # 2106103, I-70 EB over Ramp E2 from MD 615
Washington County, MD

Photographer: Roy Hampton, Hardlines Design Company

Date: 6/19/03

Location of negative: MD SHPO
bridge deck, looking west

1/8



MIHP # WA- VI -056

Bridge # 2106103, I-70 EB over Ramp E2 from MD 615
Washington County, MD

Photographer: Roy Hampton, Hardlines Design Company

Date: 6/9/03

Location of negatives: MD SHPO

South elevation and context view, looking north

218



MHP# WR-VI-056

Bridge # 2106103, I-70 EB over Ramp EZ from MD 615
Washington County, MD

Photographer: Roy Hampton, Hardlines Design Company

Date: 6/9/03

Location of negatives: MD SHPO
south elevation, looking north
3/8



MHP # WA-VI-056

Bridge # 2106103, I-70 EB over Ramp E2 from MD615
Washington County, MD

Photographer: Roy Hampton, Hardlines Design Company

Date: 6/9/03

Location of negatives: MD SHPO
North elevation, looking south

4/8



MHP # WA-VII-056

Bridge # 2106103, I-70 EB over Ramp E2 from MD 615
Washington County, MD

Photographer: Roy Hampton, Hardlines Design Company

Date: 6/9/03

Location of negatives: MD SHPO

oblique north elevation view, looking southwest

5/8



MHP # WA-VI-056

Bridge # 2106103, I-70 EB over Ramp E2 from MD 615
Washington County, MD

Photographer: Roy Hampton, Hardlines Design Company

Date: 6/9/03

Location of negatives: MD SHPO
oblique north elevation view, looking southwest

6/8



MHP # WA-VI-56

Bridge # 2106103, I-70 EB over Ramp E2 from MD 615
Washington County, MD

Photographer: Roy Hampton, Hardlines Design Company

Date: 6/9/03

Location of negative: MD SHPO

detail of underside, looking north
7/8



MHP # WA-III-56

Bridge # 2106103, I-70 EB over Ramp E2 from MD 615
Washington County, MD

Photographer: Roy Hampton, Hardlines Design Company

Date: 6/9/03

Location of negatives: MD SMPo

detail of date on southwest end

g/b